

Dealer manual

2020




UK

Ride like the Dutch

ROYAL DUTCH
Gazelle





“We do our best every day to make cycling more pleasant and easier for everyone.”



For the Dutch, a bike is more than a means of transport. It's a mentality. A way of life. And Gazelle has been part of that for more than 125 years. That is how long Royal Dutch Gazelle has been producing the finest quality bikes that are as light and comfortable as possible. With around 350 employees, we make more than 250,000 bikes a year. And we do our best every day to make cycling more pleasant and easier for everyone. Not only in the Netherlands, but far beyond its borders as well.

The most modern bike factory in the world

We work with great passion and dedication on

clever design and technical innovations. Commit to safety and anti-theft solutions. We produce e-bikes that cut through the rush hour in 30 minutes, but also comfortable models with which you can cycle till the cows come home.

Our journey never ends. We are constantly in search of the best combination of light bikes, intelligent design and robust quality.

We only employ experienced fitters to assemble our bikes at the Dutch Gazelle Innovation and Production Centre: the most modern bike factory in the world.



Index

Battery golden rules

Gazelle speaks for itself

Electrical systems

Gazelle dealer tools

Gazelle accessories

E-Bikes

Ultimate C380 HMB	7
Ultimate T10 HMB	9
Ultimate C8+ HMB	11
Grenoble C380 HMB	13
Grenoble C8 HMB	15
Orange C310 HMB	17
Orange C8 HMB	19
Orange C7+ HMB	21
Orange C7 HMB	23
Paris C7+ HMB	25
Paris C7 HMB	27
Miss Grace C7 HMB	29
HeavyDutyNL C7 HMB	31
Medeo T10 HMB	33
Medeo T9 HMB	35
Orange C5 HMS	37
Orange C7 HMS	39
CityGo C7 HMS	41
Ami C7 HMS	43
Balance C7 HFP	45

Lifestyle & Urban bikes

Orange C8	47
Orange C7+	49
Chamonix S8	51
Chamonix C8	53
Chamonix C7	55
Vento C7	57
CityGo C7	59
CityGo C3	61
Esprit	63
Miss Grace	65
HeavyDutyNL	67
Tour Populaire	69
Van Stael	71
Classic	73
Bloom C7	75
Cabby C7	77

Sports Trekking & Trekking

Marco Polo Travel	79
Marco Polo Tour	81
Marco Polo Urban	83
Chamonix T30	85
Chamonix T27	87
Vento T27	89
Vento T24	91





Battery golden rules

Read the documentation

The life of a battery is particularly influenced by the nature and duration of the use.

All lithium-ion batteries age naturally, even when not being used.

factors that shorten battery life

- intensive use
- storage at ambient temperatures > 30 degrees
- lengthy storage in a completely charged or discharged state
- parking electric bike in direct sunlight

factors that increase battery life

- + limited load
- + storage at ambient temperatures between 0 and 20 degrees
- + storage at a charge status between 30 and 60%

Cleaning

Always remove the battery from the bike before cleaning it. Do not get any electrical components wet and do not allow any direct water spray on them.

Occasionally clean and lightly lubricate the plug pins.

Winter storage

Store battery at temperatures between 0 and 20 degrees. If a battery is completely empty this will cause more wear. The ideal charge status for storing the battery is between 30 and 60%.

Storage (general)

Temperatures below -10 degrees and higher than 60 degrees should be avoided.

Winter time

In the winter (particularly when it is below 0 degrees) connect the battery that has been stored at room temperature onto the electric bike shortly before departure. If cycling regularly in the cold it is recommended to use thermal protective covers.

Transport

When transporting the bike, always remove the battery from the bike and transport this safely.

Maintenance

The dealer can check the condition of the battery using a diagnosis device.



Gazelle speaks for itself

With our handy icons you can see everything your bike has to offer at a glance. Which helps when you're looking for a bike that suits you perfectly.



BATTERY
CHOICE



POWERFUL
ENGINE



EXTRA
POWERFUL
ENGINE



LOW
WEIGHT



POWERFUL
BRAKE



SILENT
ENGINE



EXTRA
SILENT
ENGINE



Gazelle


E-Bike-Systems

BATTERY	POSITION	MODEL	CAPACITY (WH)	CAPACITY (AH)	ARTICLE NUMBER
Bosch	Rack	Silver	300	8,3	998435100
Bosch	Rack	Gold	400	11,1	998402800
Bosch	Rack	Platina	500	13,8	998434700
Bosch	Integrated into frame	Gold	400	11,1	998610700
Bosch	Integrated into frame	Platina	500	13,8	998610000
Bosch	Frame	Gold	400	11,1	998401800
Bosch	Frame	Platin	500	13,8	998434900
Shimano STEPS	Rack	Gold	418	11,6	998402200
Shimano STEPS	Rack	Platina	504	13,9	998403200
Panasonic	Rack	Bronze	238	6,6	998401600
Panasonic	Rack	Silver	317	8,8	998401500
Panasonic	Rack	Gold	396	11	998401400
Panasonic	Rack	Platina	486	13,5	998401300



Gazelle dealer tools

DEALER PORTAL: 24/7 SUPPORT ON SALES & SERVICE



What can it be used for?

- Ordering Gazelle bikes and parts.
- Fast access to all product information and delivery times.
- Organise your own warranties and return shipments.
- View orders, packing slips, invoices and return shipments.
- Fast access to the Gazelle Academy, Brand store, For Sale & Wanted, Turnover and Sales data, Dealer manual and Dealer mailings.

The dealer portal enables Gazelle dealers to manage orders for bikes and parts as well as service and warranties independently at any time.

When the dealer portal is used to the full, it saves time and administrative work so you can offer your customers a better and faster service.

Gazelle works continuously on improvement and extension of the dealer portal. Comments and ideas are more than welcome and you can share them with us through the feedback button.

<https://dealer.pon.bike>

GAZELLE ACADEMY: ONLINE LEARNING TOOL



The Gazelle academy is an online e-learning tool for all professionals who work with Gazelle bikes. Whether you work in sales, marketing, management, maintenance or across all departments, you will gain valuable knowledge that you can put to good use in practice. And upon successful completion of the course, you will receive an official Gazelle certificate.

Professional e-learning for all disciplines

- Library of Gazelle manuals, videos
- An official certificate upon successful completion
- Also available in your app store

<https://dealer.pon.bike/knowledgecenter>

Online registration:

<http://gazelle-academy.innovam.nl>

BRAND STORE: MERCHANDISE SHOP



The Gazelle brand store is a web shop where you will find a selection of Gazelle corporate gifts, printed matter and POS materials you may need. You can access the Brand Store via the dealer portal.

- Complete overview of Gazelle merchandise
- Order products 24/7
- Special deals and promotions

Access via dealer portal: <https://dealer.pon.bike>



Gazelle accessories

MISS GRACE REAR CARRIER

black mat

31332290019975



MISS GRACE REAR CARRIER

ivory

313322932275



MISS GRACE REAR CARRIER

georgia peach mat

31332298649975



VAN STAEL FRONT CARRIER

313013900



VAN STAEL REAR CARRIER

313015400



VAN STAEL LIGHTING KIT

444599900



CABBY RAIN HOOD

653114100



CABBY COVER

653100000



CABBY MAXI COSI ADAPTER

653102000



CITYGO/ESPRIT FRONT CARRIER

black mat

313960400



WICKER BASKET FOR CARGO BIKE

552104300





ULTIMATE C380 HMB



magnum grey mat

Gazelle



magnum grey mat

The Ultimate C380 HMB successfully combines a sporty urban bike and a comfortable touring bike. The beautifully shaped aluminium frame, with dynamic lines and integrated battery ensures stable road-holding. The Enviolo trekking internal gear hub adds the ease of stepless shifting to this. Together with the wide tyres, front fork suspension and relaxed posture, it raises cycling comfort to an unprecedentedly high level.

- Dynamic cycling with powerful assistance.
- High-grade Shimano disc brakes for optimal braking performance
- Use of Enviolo trekking hub means effortless and stepless shifting
- Comfort, design and performance combined in a single sporty bike

DESCRIPTION Enviolo Trekking Manual stepless gear system with Shimano BR-MT420 hydraulic disc brakes **KG** 24,8 (excl. battery) **LBS** 54.6 (excl. battery) **COLOUR** magnum grey mat **LOW-STEP** 46|49|53|57|61 cm/18.1|19.3|20.9|22.4|24 inch **COLOUR** magnum grey mat **HIGH-STEP** 53|57|61 cm/20.9|22.4|24 inch



Would you like more information about this bike? Check out www.gazellebikes.com



ULTIMATE C380 HMB

Specifications

FRAME/FRONT FORK

- Frame: Stable aluminium frame with 70,5° headset angle and 71,5° saddle tube angle for sporty cycling characteristics. Battery, motor and cables harmoniously integrated into the frame. High-quality finish with attention to detail.
- Integrated cables: Yes
- Fork: aluminium, springing in headset, lightweight
- Chain guard: Aluminum
- Rear carrier: Aluminum

WHEELS/TIRES

- Tires: Schwalbe Energizer Plus, 47-622
- Rims: Ryde Dutch19, 28"
- Spokes: Stainless steel, extra strong
- Fender: Aluminum

STEERING

- Handlebar: aluminium, slightly curved model
- Stem: With toolbox, steplessly adjustable
- Steer grip: Ergon GP1-L, ergonomic
- Bell: handlebar bell Decibel XXL

TRANSMISSION/BRAKE

- Gear system: Enviolo Trekking Manual stepless gear system
- Front hub: Shimano
- Rear hub: Enviolo Trekking Manual continuously variable gears, freewheel
- Shifter: Enviolo City
- Brake system back: disc brake with hydraulic control; Shimano BR-MT420
- Brake system front: disc brake with hydraulic control; Shimano BR-MT420
- Crank: Miranda Delta

SADDLE

- Seatpost: Fixed
- Saddle: Selle Royal Essenza

LIGHTING

- Lights front: Axa Blue Line 50, LED headlamp, 50 lux, on/off switching via display
- Light powered by: battery
- Light back: Herrmans H-Cargo, LED battery supply, on/off switching via display

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: drop-down rear stand, Ursus Mooi
- Chain: Gates CDX belt drive, with Centertrack

SYSTEM

- Display: Bosch Intuvia LCD center
- Sensors: rotation sensor; speed sensor; pedal force sensor
- Engine: Bosch Performance Line 3.0 (65 Nm), 36V
- Battery: Li-ion, integrated into frame
- Charger: 4 Ah

ITEM NUMBERS

NO.	DESCRIPTION			
G0670	Low-step	46 SE10 28"	372	magnum grey mat
G0671	Low-step	49 SE10 28"	372	magnum grey mat
G0672	Low-step	53 SE10 28"	372	magnum grey mat
G0673	Low-step	57 SE10 28"	372	magnum grey mat
G0674	Low-step	61 SE10 28"	372	magnum grey mat
G0678	High-step	53 SE10 28"	372	magnum grey mat
G0679	High-step	57 SE10 28"	372	magnum grey mat
G0680	High-step	61 SE10 28"	372	magnum grey mat

ULTIMATE T10 HMB



dust light mat



dust light mat



ivory glossy

Top of the range trekking e-bike, refined down to the last detail. The first-class groupset including Shimano XT, Bosch Performance line and ergonomically-shaped handlebar grips enable highly sporting performance to be achieved. The Ultimate T10 HMB is delightfully stable on the road thanks to the battery and motor integration plus the rigidity of the frame. The dynamic design, high level of comfort and excellent handling make this bike the ideal companion for long recreational trips.

- Sporty cycling: designed to go exploring
- High-grade Shimano disc brakes for optimal braking performance
- Integrated lighting to see and be seen
- Relaxed posture combined with powerful performance mean that no trip is too far

DESCRIPTION 10-speed Shimano Deore-XT gears with Shimano BR-MT420 hydraulic disc brakes **KG** 23,0 (excl. battery) **LBS** 50.7 (excl. battery) **COLOUR** dust light mat or ivory **LOW-STEP** 46|49|53|57|61 cm/18.1|19.3|20.9|22.4|24 inch **COLOUR** dust light mat **HIGH-STEP** 53|57|61 cm/20.9|22.4|24 inch



Would you like more information about this bike? Check out www.gazellebikes.com



ULTIMATE T10 HMB

Specifications

FRAME/FRONT FORK

- Frame: Stable aluminium frame with 70,5° headset angle and 71,5° saddle tube angle for sporty cycling characteristics. Battery, motor and cables harmoniously integrated into the frame. High-quality finish with attention to detail.
- Integrated cables: Yes
- Fork: aluminium, springing in headset, lightweight
- Chain guard: Aluminum
- Rear carrier: Aluminum

WHEELS/TIRES

- Tires: Schwalbe Energizer Plus, 47-622
- Rims: Ryde Dutch19, 28"
- Spokes: Stainless steel, extra strong
- Fender: Aluminum

STEERING

- Handlebar: aluminium, slightly curved model
- Stem: With toolbox, steplessly adjustable
- Steer grip: Ergon GP1-L, ergonomic
- Bell: handlebar bell Decibel XXL

TRANSMISSION/BRAKE

- Front hub: Shimano Deore
- Shifter: Shimano XT 10
- Brake system back: disc brake with hydraulic control; Shimano BR-MT420
- Brake system front: disc brake with hydraulic control; Shimano BR-MT420
- Crank: Miranda Delta

SADDLE

- Seatpost: Fixed
- Saddle: Selle Royal Essenza

LIGHTING

- Lights front: Axa Blue Line 50, LED headlamp, 50 lux, on/off switching via display
- Light powered by: battery
- Light back: Herrmans H-Cargo, LED battery supply, on/off switching via display

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: drop-down rear stand, Ursus Mooi
- Chain: extra strong, special for e-bike

SYSTEM

- Display: Bosch Intuvia LCD center
- Sensors: rotation sensor; speed sensor; pedal force sensor
- Engine: Bosch Performance Line 3.0 (65 Nm), 36V
- Battery: Li-ion, integrated into frame
- Charger: 4 Ah

ITEM NUMBERS

NO.	DESCRIPTION			
G0711	Low-step	46 S10	28"	851 dust light mat
G0712	Low-step	49 S10	28"	851 dust light mat
G0713	Low-step	53 S10	28"	851 dust light mat
G0714	Low-step	57 S10	28"	851 dust light mat
G0715	Low-step	61 S10	28"	851 dust light mat
G0719	High-step	53 S10	28"	851 dust light mat
G0720	High-step	57 S10	28"	851 dust light mat
G0721	High-step	61 S10	28"	851 dust light mat
G0724	Low-step	46 S10	28"	322 ivory
G0725	Low-step	49 S10	28"	322 ivory
G0726	Low-step	53 S10	28"	322 ivory
G0727	Low-step	57 S10	28"	322 ivory
G0728	Low-step	61 S10	28"	322 ivory

ULTIMATE C8+ HMB



desert titanium grey mat



desert titanium grey mat



champion red glossy

The Ultimate C8+ HMB goes just like it looks: super comfortable and a sporty look. Characterised by its innovative and dynamic design, the Ultimate is a feast for the eyes. The Ultimate C8+ HMB is delightfully stable on the road thanks to a low centre of gravity and the stiffness of the frame. The leather handlebar grips, wide tyres and suspension front fork with integrated brakes provide added comfort. Sports cycling has never been so comfortable.

- Experience the freedom: suitable for both touring and commuting
- Super-stable and rigid frame for optimal handling characteristics
- Brakes beautifully integrated into the front fork for top-notch braking performance
- Motor and battery integration to the point that you almost forget it's an e-bike

DESCRIPTION 8-speed Shimano Nexus gears with Magura HS22 hydraulic brakes **KG** 24,8 (excl. battery)

LBS 54.6 (excl. battery) **COLOUR** champion red or desert titanium grey mat **LOW-STEP** 46|49|53|57|61

cm/18.1|19.3|20.9|22.4|24 inch **COLOUR** desert titanium grey mat **HIGH-STEP** 53|57|61|65 cm/20.9|22.4|24|25.6

inch



Would you like more information about this bike? Check out www.gazellebikes.com



ULTIMATE C8+ HMB

Specifications

FRAME/FRONT FORK

- Frame: Stable aluminium frame with 70,5° headset angle and 71,5° saddle tube angle for sporty cycling characteristics. Battery, motor and cables harmoniously integrated into the frame. High-quality finish with attention to detail.
- Integrated cables: Yes
- Fork: aluminium, springing in headset, lightweight
- Chain case: Plastic
- Rear carrier: Aluminum

WHEELS/TIRES

- Tires: Schwalbe Energizer Plus, 47-622
- Rims: Ryde Dutch19, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium, slightly curved model
- Stem: With toolbox, steplessly adjustable
- Steer grip: Gazelle Aero leather
- Brake lever: Magura HS22
- Bell: handlebar bell Decibel XXL

TRANSMISSION/BRAKE

- Front hub: Shimano
- Rear hub: Shimano Nexus, 8 speeds, freewheel
- Shifter: Shimano Nexus 8
- Brake system back: rim brake with hydraulic control; Magura HS22
- Brake system front: rim brake with hydraulic control; Magura HS22i
- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Fixed
- Saddle: Selle Royal Essenza

LIGHTING

- Lights front: Axa Blue Line 50, LED headlamp, 50 lux, on/off switching via display
- Light powered by: battery
- Light back: Herrmans H-Cargo, LED battery supply, on/off switching via display

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: drop-down rear stand, Ursus Mooi
- Chain: extra strong, special for e-bike

ITEM NUMBERS

NO.	DESCRIPTION			
A6410	High-step 53 H8	28"	600	desert titanium grey mat
A6411	High-step 57 H8	28"	600	desert titanium grey mat
A6412	High-step 61 H8	28"	600	desert titanium grey mat
A6418	High-step 65 H8	28"	600	desert titanium grey mat
A6413	Low-step 46 H8	28"	600	desert titanium grey mat
A6414	Low-step 49 H8	28"	600	desert titanium grey mat
A6415	Low-step 53 H8	28"	600	desert titanium grey mat
A6416	Low-step 57 H8	28"	600	desert titanium grey mat
A6417	Low-step 61 H8	28"	600	desert titanium grey mat
A6419	Low-step 46 H8	28"	375	champion red
A6420	Low-step 49 H8	28"	375	champion red
A6421	Low-step 53 H8	28"	375	champion red
A6422	Low-step 57 H8	28"	375	champion red
A6423	Low-step 61 H8	28"	375	champion red

SYSTEM

- Display: Bosch Intuvia LCD center
- Controlled on handle: Yes
- Sensors: rotation sensor; speed sensor; pedal force sensor
- Engine: Bosch Active Line Plus 3.0 (50Nm)
- Battery: Li-ion, integrated into frame
- Charger: 4 Ah

GRENOBLE C380 HMB



eclipse black mat



eclipse black mat

The especially powerful assistance and ease of shifting are barely evident. This is due to the fact that the motor with an output of no less than 65 Nm, the battery and the innovative power transmission are fitted harmoniously into the frame. You shift smoothly to the desired ratio using the right-hand grip while pedalling. It is completely stepless: from getting away rapidly from the traffic lights to getting a move on in top gear. Wide tyres, a suspension front fork and a gel saddle with a suspension seat post absorb any bumps for you.

- No difficulty at all coping with hilly terrain or strong headwinds
- Better visibility with integrated LED lighting
- Cycling with the palpable luxury of leather handlebar grips
- High tech in harmonious design with gloss lettering

DESCRIPTION Enviolo Trekking Manual stepless gear system with Magura HS11 hydraulic brakes **KG** 26,0 (excl. battery) **LBS** 57.3 (excl. battery) **COLOUR** eclipse black mat **LOW-STEP** 46|49|53|57|61 cm/18.1|19.3|20.9|22.4|24 inch **COLOUR** eclipse black mat **HIGH-STEP** 57|61 cm/22.4|24 inch



MIK
MOUNTING . IS . KEY



BOSCH

Would you like more information about this bike? Check out www.gazellebikes.com



GRENOBLE C380 HMB

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight hydro-formed aluminium frame with 68.5° headset angle and 69.5° saddle tube angle for relaxed and comfortable riding. This is a low-step and spacious frame, single tube and lovely integrated cables.
- Integrated cables: Yes
- Fork: aluminium, springing in headset, lightweight
- Chain case: Plastic
- Rear carrier: Aluminum MIK system carrier

WHEELS/TIRES

- Tires: Schwalbe Energizer Plus, 47-622
- Rims: Ryde Eco 19, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium, comfort curved model
- Stem: Gazelle Switch, manually steplessly adjustable
- Steer grip: Gazelle Aero leather
- Brake lever: Magura HS11
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Shimano
- Rear hub: Enviolo Trekking Manual continuously variable gears, freewheel
- Shifter: Enviolo Trekking controller
- Brake system back: rim brake with hydraulic control; Magura HS11
- Brake system front: rim brake with hydraulic control; Magura HS11
- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Sprung
- Saddle: Selle Royal Essenza

LIGHTING

- Lights front: Gazelle Fendervision, LED headlamp, 50 lux, on/off switching via display
- Light powered by: battery
- Light back: Gazelle Fendervision, LED battery supply, on/off switching via display

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: drop-down rear stand, Ursus Mooi
- Chain: extra strong, special for e-bike

SYSTEM

- Display: Bosch Intuvia LCD center
- Controlled on handle: Yes
- Sensors: rotation sensor; speed sensor; pedal force sensor
- Engine: Bosch Performance Line 3.0 (65 Nm), 36V
- Battery: Li-ion, integrated into frame
- Charger: 4 Ah

ITEM NUMBERS

NO.	DESCRIPTION				
G0075	Low-step	46 HE	28"	388	eclipse black mat
G0076	Low-step	49 HE	28"	388	eclipse black mat
G0077	Low-step	53 HE	28"	388	eclipse black mat
G0078	Low-step	57 HE	28"	388	eclipse black mat
G0079	Low-step	61 HE	28"	388	eclipse black mat
G0084	High-step	57 HE	28"	388	eclipse black mat
G0085	High-step	61 HE	28"	388	eclipse black mat

GRENOBLE C8 HMB



black mat



black mat



mallard blue mat

This all-rounder with the extra powerful and silent Bosch mid-mounted motor is ideal for day-to-day trips as well as long-distance rides. The motor provides effortless assistance, on both flat and hilly terrain.

- Unprecedented range
- No trouble with hilly terrain or strong headwinds
- Maximum comfort thanks to wide tyres with elegant suspension forks and seat post
- High tech in harmonious design

DESCRIPTION 8-speed Shimano Nexus gears with Magura HS11 hydraulic brakes **KG** 24,2 (excl. battery) **LBS** 53.3 (excl. battery) **COLOUR** black mat or mallard blue mat **LOW-STEP** 46|49|53|57|61 cm/18.1|19.3|20.9|22.4|24 inch **COLOUR** black mat **HIGH-STEP** 53|57|61 cm/20.9|22.4|24 inch



MIK
MOUNTING . IS . KEY



BOSCH

Would you like more information about this bike? Check out www.gazellebikes.com



GRENOBLE C8 HMB

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight hydro-formed aluminium frame with 68.5° headset angle and 69.5° saddle tube angle for relaxed and comfortable riding. This is a low-step and spacious frame, single tube and lovely integrated cables.
- Integrated cables: Yes
- Fork: aluminium, springing in headset, lightweight
- Chain case: Plastic
- Rear carrier: Aluminum MIK system carrier

WHEELS/TIRES

- Tires: Schwalbe Energizer Plus, 47-622
- Rims: Mach1 ER-10, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium, comfort curved model
- Stem: Gazelle Switch, manually steplessly adjustable
- Steer grip: Gazelle Aero leather
- Brake lever: Magura HS11
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Shimano
- Rear hub: Shimano Nexus, 8 speeds, freewheel
- Shifter: Shimano Nexus 8
- Brake system back: rim brake with hydraulic control; Magura HS11

- Brake system front: rim brake with hydraulic control; Magura HS11
- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Sprung
- Saddle: Selle Royal Loire

LIGHTING

- Lights front: Gazelle Fendervision, LED headlamp, 50 lux, on/off switching via display
- Light powered by: battery
- Light back: Gazelle Fendervision, LED battery supply, on/off switching via e-bike system

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: drop-down rear stand, Ursus Mooi
- Chain: extra strong, special for e-bike

SYSTEM

- Display: Bosch Intuvia LCD center
- Controlled on handle: Yes
- Sensors: rotation sensor; speed sensor; pedal force sensor
- Engine: Bosch Active Line Plus 3.0 (50Nm)
- Battery: Li-ion, integrated into frame
- Charger: 4 Ah

ITEM NUMBERS

NO.	DESCRIPTION			
G0055	Low-step 46 H8	28"	001	black mat
G0056	Low-step 49 H8	28"	001	black mat
G0057	Low-step 53 H8	28"	001	black mat
G0058	Low-step 57 H8	28"	001	black mat
G0059	Low-step 61 H8	28"	001	black mat
G0063	High-step 53 H8	28"	001	black mat
G0064	High-step 57 H8	28"	001	black mat
G0065	High-step 61 H8	28"	001	black mat
G0068	Low-step 46 H8	28"	871	mallard blue mat
G0069	Low-step 49 H8	28"	871	mallard blue mat
G0070	Low-step 53 H8	28"	871	mallard blue mat
G0071	Low-step 57 H8	28"	871	mallard blue mat
G0072	Low-step 61 H8	28"	871	mallard blue mat

ORANGE C310 HMB



aluminum grey mat



aluminum grey mat



mirage blue mat

State of the art in effortless cycling. Luxury all around: you sit on a gel saddle and a suspension seat post. While pedalling, you shift smoothly from the lowest to the highest gear and back. Stepless, because you feel exactly when you are in the right gear. An ideal combination with the powerful mid-mounted motor.

- Stepless shifting with ease
- Better vision and visibility thanks to bright LED lighting
- Suspension and wide tyres absorb almost all bumps
- Relaxed cycling in wind and weather

DESCRIPTION Enviolo City Manual stepless gear system with Magura HS11 hydraulic brakes **KG** 25,5 (excl. battery) **LBS** 56.2 (excl. battery) **COLOUR** aluminum grey mat or mirage blue mat **LOW-STEP** 46|49|53|57|61 cm/18.1|19.3|20.9|22.4|24 inch **COLOUR** aluminum grey mat **HIGH-STEP** 53|57|61 cm/20.9|22.4|24 inch



MIK
MOUNTING . IS . KEY



BOSCH

Would you like more information about this bike? Check out www.gazellebikes.com



ORANGE C310 HMB

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight hydro-formed aluminium frame with 68.5° headset angle and 69.5° saddle tube angle for relaxed and comfortable riding. This is a low-step and spacious frame, single tube and lovely integrated cables.
- Integrated cables: Yes
- Fork: aluminium, springing in headset, lightweight
- Chain case: Plastic
- Rear carrier: Aluminum MIK system carrier

WHEELS/TIRES

- Tires: Schwalbe Energizer Plus, 47-622
- Rims: Ryde Eco 19, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium, comfort curved model
- Stem: Gazelle Switch, manually steplessly adjustable
- Steer grip: Gazelle Aero leather
- Brake lever: Magura HS11
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Shimano
- Rear hub: Enviolo City Manual continuously variable gears, freewheel
- Shifter: Enviolo City
- Brake system back: rim brake with hydraulic control; Magura HS11
- Brake system front: rim brake with hydraulic control; Magura HS11

- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Sprung
- Saddle: Selle Royal Loire

LIGHTING

- Lights front: Gazelle Fendervision, LED headlamp, 50 lux, on/off switching via display
- Light powered by: battery
- Light back: Gazelle Fendervision, LED battery supply, on/off switching via display

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: drop-down rear stand, Ursus Mooi
- Chain: extra strong, special for e-bike

SYSTEM

- Display: Bosch Intuvia LCD center
- Controlled on handle: Yes
- Sensors: rotation sensor; speed sensor; pedal force sensor
- Engine: Bosch Active Line Plus 3.0 (50Nm)
- Battery: Li-ion, integrated into carrier
- Charger: 4 Ah

ITEM NUMBERS

NO.	DESCRIPTION				
G0175	Low-step	46 HE	28"	637	aluminum grey mat
G0176	Low-step	49 HE	28"	637	aluminum grey mat
G0177	Low-step	53 HE	28"	637	aluminum grey mat
G0178	Low-step	57 HE	28"	637	aluminum grey mat
G0179	Low-step	61 HE	28"	637	aluminum grey mat
G0183	High-step	53 HE	28"	637	aluminum grey mat
G0184	High-step	57 HE	28"	637	aluminum grey mat
G0185	High-step	61 HE	28"	637	aluminum grey mat
G0189	Low-step	49 HE	28"	410	mirage blue mat
G0190	Low-step	53 HE	28"	410	mirage blue mat
G0191	Low-step	57 HE	28"	410	mirage blue mat

ORANGE C8 HMB



black mat



black mat



sienna mat

This all-rounder with its powerful Bosch mid-mounted motor gives you as much fun on your daily rides as on a tour through hilly terrain. A gel saddle with a suspension seat post, leather-covered handles and very wide tyres increase comfort and exude luxury.

- Extra powerful, noiseless support
- Suppleness from spring elements beautifully incorporated into the frame
- Better vision and visibility thanks to bright LED lighting
- Effortless and precise operation

DESCRIPTION 8-speed Shimano Nexus gears with Magura HS11 hydraulic brakes **KG** 23,2 (excl. battery) **LBS** 51.1 (excl. battery) **COLOUR** black mat or sienna mat **LOW-STEP** 42|46|49|53|57|61 cm/16.5|18.1|19.3|20.9|22.4|24 inch **COLOUR** black mat **HIGH-STEP** 53|57|61|65 cm/20.9|22.4|24|25.6 inch



MIK
MOUNTING . IS . KEY



Would you like more information about this bike? Check out www.gazellebikes.com



ORANGE C8 HMB

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight hydro-formed aluminium frame with 68.5° headset angle and 69.5° saddle tube angle for relaxed and comfortable riding. This is a low-step and spacious frame, single tube and lovely integrated cables.
- Integrated cables: Yes
- Fork: aluminium, springing in headset, lightweight
- Chain case: Plastic
- Rear carrier: Aluminum MIK system carrier

WHEELS/TIRES

- Tires: Schwalbe Energizer Plus, 47-559 or Schwalbe Energizer Plus, 47-622
- Rims: Mach1 ER-10, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium, comfort curved model
- Stem: Gazelle Switch, manually steplessly adjustable
- Steer grip: Gazelle Aero leather
- Brake lever: Magura HS11
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Shimano
- Rear hub: Shimano Nexus, 8 speeds, freewheel
- Shifter: Shimano Nexus 8

- Brake system back: rim brake with hydraulic control; Magura HS11
- Brake system front: rim brake with hydraulic control; Magura HS11
- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Sprung
- Saddle: Selle Royal Loire

LIGHTING

- Lights front: Busch & Müller Upp Premium, LED headlamp, 40 lux, on/off switching via display or Gazelle Fendervision, LED headlamp, 50 lux, on/off switching via display
- Light powered by: battery
- Light back: Spanninga Brasa, LED battery supply, on/off switching via display

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: drop-down rear stand, Ursus Mooi
- Chain: extra strong, special for e-bike

SYSTEM

- Display: Bosch Intuvia LCD center
- Controlled on handle: Yes
- Sensors: rotation sensor; speed sensor; pedal force sensor
- Engine: Bosch Active Line Plus 3.0 (50Nm)
- Battery: Li-ion, integrated into carrier
- Charger: 4 Ah

ITEM NUMBERS

NO.	DESCRIPTION			
G0148	Low-step	46 H8	28"	001 black mat
G0149	Low-step	49 H8	28"	001 black mat
G0150	Low-step	53 H8	28"	001 black mat
G0151	Low-step	57 H8	28"	001 black mat
G0152	Low-step	61 H8	28"	001 black mat
G0156	High-step	53 H8	28"	001 black mat
G0157	High-step	57 H8	28"	001 black mat
G0158	High-step	61 H8	28"	001 black mat
G0159	High-step	65 H8	28"	001 black mat
G0162	Low-step	49 H8	28"	681 sienna mat
G0163	Low-step	53 H8	28"	681 sienna mat
G0164	Low-step	57 H8	28"	681 sienna mat
G0167	Low-step	42 H8	26"	001 black mat
G0168	Low-step	46 H8	26"	001 black mat



ORANGE C7+ HMB



mallard blue mat



mallard blue mat



jeans blue mat



pale green glossy

No slope too steep for this versatile e-bike with a 40 Nm Bosch mid-mounted motor. Even daily use is easy. Everything is equally comfortable, with a suspension seat post and front fork. Convince yourself of the convenience and safety of the wide, low step-through frame.

- Powerful, noiseless support
- The safe feeling of a stable aluminium frame
- Once you've used hydraulic brakes, you'll never want to do without them again
- Will you go for matt jeans blue, matt mallard blue or pale green?

DESCRIPTION 7-speed Shimano Nexus gears with Magura HS11 hydraulic brakes **KG** 23,5 **LBS** 51.8 **COLOUR** jeans blue mat or mallard blue mat or pale green **LOW-STEP** 46|49|53|57|61 cm/18.1|19.3|20.9|22.4|24 inch **COLOUR** mallard blue mat **HIGH-STEP** 53|57|61|65 cm/20.9|22.4|24|25.6 inch



MIK
MOUNTING . IS . KEY



BOSCH

Would you like more information about this bike? Check out www.gazellebikes.com



ORANGE C7+ HMB

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight hydro-formed aluminium frame with 68.5° headset angle and 69.5° saddle tube angle for relaxed and comfortable riding. This is a low-step and spacious frame, single tube and lovely integrated cables.
- Integrated cables: Yes
- Fork: aluminium, telescopic sprung
- Chain case: Plastic
- Rear carrier: Aluminum MIK system carrier

WHEELS/TIRES

- Tires: Continental CityRide, 42-622
- Rims: Mach1 ER-10, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium look, comfort curved model
- Stem: Gazelle Switch, manually steplessly adjustable
- Steer grip: Gazelle Aerowing
- Brake lever: Magura HS11
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Shimano
- Rear hub: Shimano Nexus, 7 speeds, freewheel
- Shifter: Shimano Nexus 7

- Brake system back: rim brake with hydraulic control; Magura HS11
- Brake system front: rim brake with hydraulic control; Magura HS11
- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Sprung
- Saddle: Selle Royal Herz

LIGHTING

- Lights front: Busch & Müller Upp, LED headlamp, 30 lux, on/off switching via display
- Light powered by: battery
- Light back: Spanninga Solo, LED battery supply, on/off switching via display

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: drop-down rear stand, Ursus Mooi
- Chain: extra strong, special for e-bike

SYSTEM

- Display: Bosch Intuvia LCD center
- Controlled on handle: Yes
- Sensors: rotation sensor; speed sensor; pedal force sensor
- Engine: Bosch Active Line 3.0 (40Nm)
- Battery: Li-ion, integrated into carrier
- Charger: 4 Ah

ITEM NUMBERS

NO.	DESCRIPTION				
G0195	Low-step	46 H7	28"	871	mallard blue mat
G0196	Low-step	49 H7	28"	871	mallard blue mat
G0197	Low-step	53 H7	28"	871	mallard blue mat
G0198	Low-step	57 H7	28"	871	mallard blue mat
G0199	Low-step	61 H7	28"	871	mallard blue mat
G0203	High-step	53 H7	28"	871	mallard blue mat
G0204	High-step	57 H7	28"	871	mallard blue mat
G0205	High-step	61 H7	28"	871	mallard blue mat
G0206	High-step	65 H7	28"	871	mallard blue mat
G0208	Low-step	46 H7	28"	653	jeans blue mat
G0209	Low-step	49 H7	28"	653	jeans blue mat
G0210	Low-step	53 H7	28"	653	jeans blue mat
G0211	Low-step	57 H7	28"	653	jeans blue mat
G0212	Low-step	61 H7	28"	653	jeans blue mat
G0216	Low-step	49 H7	28"	691	pale green
G0217	Low-step	53 H7	28"	691	pale green
G0218	Low-step	57 H7	28"	691	pale green

ORANGE C7 HMB



aluminum grey mat



petrol glossy



aluminum grey mat

With the Gazelle Orange C7 HMB you can cover long distances easily and comfortably. The 40 Nm high Bosch mid-mounted motor is ideal for a daily rider. And the side display puts everything under control.

- Powerful, noiseless support
- A suspension seat post and fork make a comfortable ride even when the surface is rough.
- Light braking or an emergency stop can be done with two fingers
- Orange quality with mid-mounted motor within budget

DESCRIPTION 7-speed Shimano Nexus gears with Magura HS11 hydraulic brakes **KG** 22,7 (excl. battery) **LBS** 50 (excl. battery) **COLOUR** aluminum grey mat or petrol **LOW-STEP** 46|49|53|57|61 cm/18.1|19.3|20.9|22.4|24 inch **COLOUR** aluminum grey mat **HIGH-STEP** 53|57|61 cm/20.9|22.4|24 inch

* Ladies 61 cm / 24.0 inch is only available in aluminum grey.



Would you like more information about this bike? Check out www.gazellebikes.com



ORANGE C7 HMB

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight hydro-formed aluminium frame with 68.5° headset angle and 69.5° saddle tube angle for relaxed and comfortable riding. This is a low-step and spacious frame, single tube and lovely integrated cables.
- Integrated cables: Yes
- Fork: aluminium, telescopic sprung
- Chain case: Plastic
- Rear carrier: Aluminum

WHEELS/TIRES

- Tires: Continental Ride City, 42-622
- Rims: Mach1 ER-10, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium look, comfort curved model
- Stem: Gazelle Switch, manually steplessly adjustable
- Steer grip: Gazelle Aerowing
- Brake lever: Magura HS11
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Shimano
- Rear hub: Shimano Nexus, 7 speeds, hub brake
- Shifter: Shimano Nexus 7
- Brake system back: rim brake with hydraulic control; Magura HS11
- Brake system front: rim brake with hydraulic control; Magura HS11

- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Sprung
- Saddle: Selle Royal Herz

LIGHTING

- Lights front: Busch & Müller Upp, LED headlamp, 30 lux, on/off switching via display
- Light back: Spanninga Brasa, LED battery supply, on/off switching via display

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: drop-down rear stand, Ursus Mooi
- Chain: extra strong, special for e-bike

SYSTEM

- Display: Bosch Purion LCD
- Controlled on handle: Yes
- Sensors: rotation sensor; speed sensor; pedal force sensor
- Engine: Bosch Active Line 3.0 (40Nm)
- Battery: Li-ion, integrated into carrier
- Charger: 2 Ah

ITEM NUMBERS

NO.	DESCRIPTION				
A6659	Low-step	46 H7	28"	637	aluminum grey mat
A6660	Low-step	49 H7	28"	637	aluminum grey mat
A6661	Low-step	53 H7	28"	637	aluminum grey mat
A6662	Low-step	57 H7	28"	637	aluminum grey mat
A6663	Low-step	61 H7	28"	637	aluminum grey mat
A6665	Low-step	46 H7	28"	690	petrol
A6666	Low-step	49 H7	28"	690	petrol
A6667	Low-step	53 H7	28"	690	petrol
A6668	Low-step	57 H7	28"	690	petrol
A6671	High-step	53 H7	28"	637	aluminum grey mat
A6672	High-step	57 H7	28"	637	aluminum grey mat
A6673	High-step	61 H7	28"	637	aluminum grey mat

PARIS C7+ HMB



black mat

Gazelle



black mat



brewster grey mat

With the new Paris C7+ HMB, Gazelle has demonstrated convincingly that a top-quality e-bike can also be achieved on a limited budget. With the Paris C7+, Gazelle designers have added a little extra: increased assistance, more comfort and greater ease of use.

- Powerful assistance with 50 Nm
- Suspension front fork and seat post cope with large potholes too
- Handlebar can be adjusted manually on the go for the ideal position
- Look and feel of a genuine Gazelle

DESCRIPTION 7-speed Shimano Nexus gears with Magura HS11 hydraulic brakes **KG** 22,4 (excl. battery) **LBS** 49.3 (excl. battery) **COLOUR** black mat or brewster grey mat **LOW-STEP** 46|49|53|57|61 cm/18.1|19.3|20.9|22.4|24 inch **COLOUR** black mat **HIGH-STEP** 53|57|61|65 cm/20.9|22.4|24|25.6 inch



MIK
MOUNTING . IS . KEY



BOSCH

Would you like more information about this bike? Check out www.gazellebikes.com



PARIS C7+ HMB

Specifications

FRAME/FRONT FORK

- Frame: Lightweight aluminium frame with comfort geometry for stable and comfortable handling. Rear carrier integrated into the frame, low step-through frame with a single down tube for a low spacious step-through. Integrated cable routing.
- Integrated cables: Yes
- Fork: aluminium, telescopic sprung
- Chain case: Plastic
- Rear carrier: Aluminum MIK system carrier

WHEELS/TIRES

- Tires: Continental CityRide, 42-622
- Rims: Mach1 ER-10, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium, comfort curved model
- Stem: Gazelle Switch, manually steplessly adjustable
- Steer grip: Gazelle Aerowing
- Brake lever: Magura HS11
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Shimano
- Rear hub: Shimano Nexus, 7 speeds, freewheel
- Shifter: Shimano Nexus 7
- Brake system back: rim brake with hydraulic control; Magura HS11
- Brake system front: rim brake with hydraulic control; Magura HS11

- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Sprung
- Saddle: Selle Royal

LIGHTING

- Lights front: AXA Blue Line 30, LED headlamp, 30 lux, on/off switching via display
- Light powered by: battery
- Light back: Trelock LS 611, LED battery supply, on/off switching via display

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: drop-down rear stand, Ursus Mooi
- Chain: extra strong, special for e-bike

SYSTEM

- Display: Bosch Purion LCD
- Sensors: rotation sensor; speed sensor; pedal force sensor
- Engine: Bosch Active Line Plus 3.0 (50Nm)
- Battery: Li-ion, integrated into carrier
- Charger: 2 Ah

ITEM NUMBERS

NO.	DESCRIPTION			
G0262	Low-step 46 H7	28"	001	black mat
G0263	Low-step 49 H7	28"	001	black mat
G0264	Low-step 53 H7	28"	001	black mat
G0265	Low-step 57 H7	28"	001	black mat
G0266	Low-step 61 H7	28"	001	black mat
G0270	High-step 53 H7	28"	001	black mat
G0271	High-step 57 H7	28"	001	black mat
G0272	High-step 61 H7	28"	001	black mat
G0273	High-step 65 H7	28"	001	black mat
G0276	Low-step 49 H7	28"	874	brewster grey mat
G0277	Low-step 53 H7	28"	874	brewster grey mat
G0278	Low-step 57 H7	28"	874	brewster grey mat

PARIS C7 HMB



navy mat



navy mat



sienna mat

Gazelle

For the new Paris C7 HMB, Gazelle's designers have boiled down the e-bike to its essence: a rigid frame and a flexible motor. Using efficient production methods, they combined all the necessary elements to create an affordable Gazelle. The result is a particularly comfortable bike with a Bosch Active Line mid-mounted motor and a low step-through. That is all you need for lasting cycling pleasure with Gazelle quality.

- Pleasant electric assistance with 40 Nm
- Suspension front fork absorbs every bump
- Minimalist onboard computer provides important information
- Attractive value for money proposition

DESCRIPTION 7-speed Shimano Nexus gears with Magura HS11 hydraulic brakes **KG** 22,0 (excl. battery) **LBS** 48.5 (excl. battery) **COLOUR** navy mat or sienna mat **LOW-STEP** 46|49|53|57|61 cm/18.1|19.3|20.9|22.4|24 inch **COLOUR** navy mat **HIGH-STEP** 53|57|61|65 cm/20.9|22.4|24|25.6 inch



MIK
MOUNTING . IS . KEY



BOSCH

Would you like more information about this bike? Check out www.gazellebikes.com



PARIS C7 HMB

Specifications

FRAME/FRONT FORK

- Frame: Lightweight aluminium frame with comfort geometry for stable and comfortable handling. Rear carrier integrated into the frame, low step-through frame with a single down tube for a low spacious step-through. Integrated cable routing.
- Integrated cables: Yes
- Fork: aluminium, telescopic sprung
- Chain case: Plastic
- Rear carrier: Aluminum MIK system carrier

WHEELS/TIRES

- Tires: Continental CityRide, 42-622
- Rims: Mach1 ER-10, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium, comfort curved model
- Stem: With toolbox, steplessly adjustable
- Steer grip: Gazelle Aerowing
- Brake lever: Magura HS11
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Shimano
- Rear hub: Shimano Nexus, 7 speeds, freewheel
- Shifter: Shimano Nexus 7
- Brake system back: rim brake with hydraulic control; Magura HS11
- Brake system front: rim brake with hydraulic control; Magura HS11

- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Fixed
- Saddle: Selle Royal

LIGHTING

- Lights front: AXA Blue Line 30, LED headlamp, 30 lux, on/off switching via display
- Light powered by: battery
- Light back: Trelock LS 611, LED battery supply, on/off switching via display

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: drop-down rear stand, Ursus Mooi
- Chain: extra strong, special for e-bike

SYSTEM

- Display: Bosch Purion LCD
- Sensors: rotation sensor; speed sensor; pedal force sensor
- Engine: Bosch Active Line 3.0 (40Nm)
- Battery: Li-ion, integrated into carrier
- Charger: 2 Ah

ITEM NUMBERS

NO.	DESCRIPTION				
G0222	Low-step 46 H7	28"	813	navy mat	
G0223	Low-step 49 H7	28"	813	navy mat	
G0224	Low-step 53 H7	28"	813	navy mat	
G0225	Low-step 57 H7	28"	813	navy mat	
G0226	Low-step 61 H7	28"	813	navy mat	
G0230	High-step 53 H7	28"	813	navy mat	
G0231	High-step 57 H7	28"	813	navy mat	
G0232	High-step 61 H7	28"	813	navy mat	
G0233	High-step 65 H7	28"	813	navy mat	
G0236	Low-step 49 H7	28"	681	sienna mat	
G0237	Low-step 53 H7	28"	681	sienna mat	
G0238	Low-step 57 H7	28"	681	sienna mat	

MISS GRACE C7 HMB



black mat

Gazelle



ivory glossy

The fashionable e-bike you don't mind being seen on is now even better. The mid-mounted motor makes the new Miss Grace even more stable and powerful. It means you outshine everyone: in town, up a hill or on the way to work.

- Robust delivery bike
- Modern styling
- Stable weight distribution
- Choice of 3 batteries

DESCRIPTION 7-speed Shimano Nexus gears with Magura HS11 hydraulic brakes **KG** 24,0 (excl. battery) **LBS** 52.9 (excl. battery) **COLOUR** black mat or ivory **LOW-STEP** 46|49|54|59 cm/18.1|19.3|21.3|23.2 inch



Would you like more information about this bike? Check out www.gazellebikes.com



MISS GRACE C7 HMB

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight oversized aluminium frame with 71° headset angle and 73° saddle tube angle gives a comfortable posture and positive steering characteristics. Through its geometry and stability, also extremely suitable for heavy loads.
- Integrated cables: Yes
- Fork: steel, unsprung
- Chain case: Plastic
- Rear carrier: Aluminum
- Front carrier: wide aluminium front carrier for adjustable handlebars

WHEELS/TIRES

- Tires: Schwalbe Fat Frank, 50-622
- Rims: Mach1 ER-10, 28"
- Spokes: Stainless steel, extra strong
- Fender: Stainless steel

STEERING

- Handlebar: aluminium look, comfort curved model
- Stem: Gazelle Shuttle, with toolbox, steplessly adjustable
- Steer grip: Gazelle Aerowing
- Brake lever: Magura HS11
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Aluminum
- Rear hub: Shimano Nexus, 7 speeds, freewheel
- Shifter: Shimano Nexus 7
- Brake system back: rim brake with hydraulic control; Magura HS11
- Brake system front: rim brake with hydraulic control; Magura HS11

- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Fixed
- Saddle: Selle Royal Gipsy

LIGHTING

- Lights front: Spanninga Swingo, LED headlamp, 30 lux, on/off switching via display
- Light powered by: battery
- Light back: Trelock LS 611, LED battery supply, on/off switching via display

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: centered double stand, Massload 2-leg
- Chain: extra strong, special for e-bike

SYSTEM

- Display: Bosch Purion LCD
- Controlled on handle: Yes
- Sensors: rotation sensor; speed sensor; pedal force sensor
- Engine: Bosch Active Line 3.0 (40Nm)
- Battery: Li-ion, integrated into carrier
- Charger: 2 Ah

ITEM NUMBERS

NO.	DESCRIPTION				
G1118	Low-step	46 H7	28"	001	black mat
G1119	Low-step	49 H7	28"	001	black mat
G1120	Low-step	54 H7	28"	001	black mat
G1121	Low-step	59 H7	28"	001	black mat
G1125	Low-step	46 H7	28"	322	ivory
G1126	Low-step	49 H7	28"	322	ivory
G1127	Low-step	54 H7	28"	322	ivory
G1128	Low-step	59 H7	28"	322	ivory



HEAVYDUTYNL C7 HMB



black mat

Gazelle



black mat

A frame of thick tubes, a wide front carrier and a sturdy rear carrier. Gazelle's designers reinterpreted the successful transport bike. With a lightweight aluminium frame in a contemporary design. And integrated a powerful electric motor into it. The Heavy Duty has the looks of a robust transport bike but rides like a light city bike.

- Picking up groceries, shopping: anything goes
- Barely visible assistance with 40 Nm
- The right gear for all conditions
- Unmistakable Gazelle design in matt black

DESCRIPTION 7-speed Shimano Nexus gears with Magura HS11 hydraulic brakes **KG** 24,0 (excl. battery) **LBS** 52.9 (excl. battery) **COLOUR** black mat **LOW-STEP** 46|49|54|59 cm/18.1|19.3|21.3|23.2 inch **COLOUR** black mat **HIGH-STEP** 49|54|59 cm/19.3|21.3|23.2 inch



Would you like more information about this bike? Check out www.gazellebikes.com



HEAVYDUTYNL C7 HMB

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight oversized aluminium frame with 71° headset angle and 73° saddle tube angle gives a comfortable posture and positive steering characteristics. Through its geometry and stability, also extremely suitable for heavy loads.
- Integrated cables: Yes
- Fork: steel, unsprung
- Chain case: Plastic
- Rear carrier: Aluminum
- Front carrier: wide aluminium front carrier for adjustable handlebars

WHEELS/TIRES

- Tires: Schwalbe Fat Frank, 50-622
- Rims: Mach1 ER-10, 28"
- Spokes: Stainless steel, extra strong
- Fender: Curana C-Lite, aluminium

STEERING

- Handlebar: aluminium look, generous bend
- Stem: Gazelle Shuttle, with toolbox, steplessly adjustable
- Steer grip: Gazelle Aerowing
- Brake lever: Magura HS11
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Aluminum
- Rear hub: Shimano Nexus, 7 speeds, freewheel
- Shifter: Shimano Nexus 7
- Brake system back: rim brake with hydraulic control; Magura HS11
- Brake system front: rim brake with hydraulic control; Magura HS11
- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Fixed
- Saddle: Selle Royal Witch

LIGHTING

- Lights front: Spanninga Swingo, LED headlamp, 30 lux, on/off switching via display
- Light powered by: battery
- Light back: Trelock LS 611, LED battery supply, on/off switching via e-bike system

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: centered double stand, Massload 2-leg
- Chain: extra strong, special for e-bike

SYSTEM

- Display: Bosch Purion LCD
- Controlled on handle: Yes
- Sensors: rotation sensor; speed sensor; pedal force sensor
- Engine: Bosch Active Line 3.0 (40Nm)
- Battery: Li-ion, integrated into carrier
- Charger: 2 Ah

ITEM NUMBERS

NO.	DESCRIPTION				
G1042	Low-step	46 H7	28"	001	black mat
G1043	Low-step	49 H7	28"	001	black mat
G1044	Low-step	54 H7	28"	001	black mat
G1045	Low-step	59 H7	28"	001	black mat
G1049	High-step	49 H7	28"	001	black mat
G1050	High-step	54 H7	28"	001	black mat
G1051	High-step	59 H7	28"	001	black mat

MEDEO T10 HMB



black mat



black mat

The Medeo T10 HMB is a highly versatile and functional sports bike. The beautifully designed sloping frame boasts a stylishly designed down tube which extends into the head tube. This makes the bike easily recognisable. Good road-holding combined with wide tyres, suspension front fork and ergonomic handlebar grips make the Medeo a highly suitable bike for commuting use.

- Active cycling: sporty attitude combined with powerful assistance
- High-grade Shimano Deore groupset for optimum shifting performance
- Suspension front fork combined with wide tyres provide extra comfort
- Sporty trekking e-bike with a clean design and excellent handling

DESCRIPTION 10-speed Shimano Deore gears with Shimano BL-MT200 hydraulic disc brakes

KG 22,5 (excl. battery) **LBS** 49.6 (excl. battery) **COLOUR** black mat **HIGH-STEP** S (45)|M (50)|L (55)|XL (60) cm/
S (17.7)|M (19.7)|L (21.7)|XL (23.6) inch **COLOUR** black mat **MID-STEP** S (45)|M (50)|L (55)|XL (60) CM/S (17.7)|
M (19.7)|L (21.7)|XL (23.6) INCH



MIK
MOUNTING . IS . KEY



BOSCH

Would you like more information about this bike? Check out www.gazellebikes.com



MEDEO T10 HMB

Specifications

FRAME/FRONT FORK

- Frame: Stable lightweight aluminium sloping frame with 70,5° headset angle and 73° saddle tube angle for a sporty posture and precise handling. Cables beautifully integrated into the frame.
- Integrated cables: Yes
- Fork: Suntour NEX E25 HLO 50mm
- Chain guard: Plastic
- Rear carrier: Aluminum MIK system carrier

WHEELS/TIRES

- Tires: Schwalbe Big Apple, 50-622
- Rims: Mach1 ER-10, 28"
- Spokes: Stainless steel, extra strong
- Fender: Aluminum

STEERING

- Handlebar: aluminium, straight
- Stem: With toolbox, steplessly adjustable
- Steer grip: Herrmans DD36
- Brake lever: Shimano BR-MT200
- Bell: handlebar bell Decibel XXL

TRANSMISSION/BRAKE

- Front hub: Shimano
- Shifter: Shimano Deore 10
- Brake system back: disc brake with hydraulic control; Shimano BL-MT200
- Brake system front: disc brake with hydraulic control; Shimano BL-MT200
- Crank: Aluminum
- Transmission: 38 x 11-42

SADDLE

- Seatpost: Fixed
- Saddle: DDK, sportive

LIGHTING

- Lights front: Axa Compactline 35, LED headlamp, 35 lux, on/off switching via display
- Light powered by: battery
- Light back: Axa Blueline, LED battery supply, on/off switching via display

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: drop-down rear stand, Ursus Mooi
- Chain: extra strong, special for e-bike

SYSTEM

- Display: Bosch Intuvia LCD center
- Controlled on handle: Yes
- Sensors: rotation sensor; speed sensor; pedal force sensor
- Engine: Bosch Performance Line 3.0 (65 Nm), 36V
- Battery: Li-ion, integrated into frame
- Charger: 4 Ah

ITEM NUMBERS

NO.	DESCRIPTION				
G0555	High-step	45 S10	28"	001	black mat
G0556	High-step	50 S10	28"	001	black mat
G0557	High-step	55 S10	28"	001	black mat
G0558	High-step	60 S10	28"	001	black mat
G0559	Mid-step	45 S10	28"	001	black mat
G0560	Mid-step	50 S10	28"	001	black mat
G0561	Mid-step	55 S10	28"	001	black mat
G0562	Mid-step	60 S10	28"	001	black mat

MEDEO T9 HMB



black mat

Gazelle



black mat

The ideal companion for all your bike trips. This trekking e-bike has a sloping frame for a sporty posture and look. The powerful motor ensures that you will be able to tackle any terrain. The high-quality components combined with the stable frame result in excellent handling. All this in a very good value-for-money package.

- Smooth derailleur bike suitable for recreational trips
- Dynamic low-step frame with carrier battery, high-step frame with battery on the down tube
- Shimano disc brakes for optimal braking performance
- Sporty but still boasts the comfortable 'Gazelle touch'

DESCRIPTION 9-speed Shimano Acera gears with Shimano BL-MT200 hydraulic disc brakes

KG 22,0 (excl. battery) **LBS** 48.5 (excl. battery) **COLOUR** black mat **LOW-STEP** S (45)|M (50)|L (55)|XL (60) CM/
S (17.7)|M (19.7)|L (21.7)|XL (23.6) INCH **COLOUR** black mat **HIGH-STEP** S (45)|M (50)|L (55)|XL (60) CM/S (17.7)|
M (19.7)|L (21.7)|XL (23.6) INCH



MIK
MOUNTING . IS . KEY



Would you like more information about this bike? Check out www.gazellebikes.com



MEDEO T9 HMB

Specifications

FRAME/FRONT FORK

- Frame: Stable lightweight aluminium sloping frame with 70,5° headset angle and 73° saddle tube angle for a sporty posture and precise handling. Cables beautifully integrated into the frame.
- Integrated cables: Yes
- Fork: Suntour NEX E25 HLO 50mm
- Chain guard: Plastic
- Rear carrier: Aluminum MIK system carrier

WHEELS/TIRES

- Tires: Schwalbe Big Apple, 50-622
- Rims: Mach1 ER-10, 28"
- Spokes: Stainless steel, extra strong
- Fender: Stainless steel

STEERING

- Handlebar: aluminium, slightly curved model
- Stem: With toolbox, steplessly adjustable
- Steer grip: Herrmans DD36
- Brake lever: Shimano BR-MT200
- Bell: Gazelle Compact bell

TRANSMISSION/BRAKE

- Shifter: Shimano Acera 9
- Brake system back: disc brake with hydraulic control; Shimano BL-MT200
- Brake system front: disc brake with hydraulic control; Shimano BL-MT200
- Crank: Aluminum
- Transmission: 38 x 11-36

SADDLE

- Seatpost: Fixed
- Saddle: DDK, sportive

LIGHTING

- Lights front: Axa Compactline 35, LED headlamp, 35 lux, on/off switching via display
- Light powered by: battery
- Light back: Axa Blueline, LED battery supply, on/off switching via display

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: drop-down rear stand, Ursus Mooi
- Chain: extra strong, special for e-bike

SYSTEM

- Display: Bosch Purion LCD
- Sensors: rotation sensor; speed sensor; pedal force sensor
- Engine: Bosch Performance Line 3.0 (65 Nm), 36V
- Battery: Li-ion, down tube, integrated into carrier
- Charger: 4 Ah

ITEM NUMBERS

NO.	DESCRIPTION					
G0645	Low-step	S (45)	S9	28"	001	black mat
G0646	Low-step	M (50)	S9	28"	001	black mat
G0647	Low-step	L (55)	S9	28"	001	black mat
G0648	Low-step	XL (60)	S9	28"	001	black mat
G0665	High-step	S (45)	S9	28"	001	black mat
G0666	High-step	M (50)	S9	28"	001	black mat
G0667	High-step	L (55)	S9	28"	001	black mat
G0668	High-step	XL (60)	S9	28"	001	black mat

ORANGE C5 HMS



brewster grey mat



brewster grey mat

You sit on a gel saddle with your hands on leather handlebar grips. With no less than 60 Nm of assistance, you can shift smoothly from first up to fifth gear and back down again. And you do so in virtual silence thanks to the low-maintenance Gates belt drive. The ideal partnership between a powerful mid-mounted motor and state-of-the-art drive technology.

- Massive torque means fewer gear shifts
- Seeing and being seen better thanks to bright LED lighting
- Suspension and wide tyres absorb virtually all bumps
- Quiet and relaxed cycling in the countryside

DESCRIPTION 5-speed Shimano Nexus with Magura HS11 hydraulic brakes **KG** 23,0 **LBS** 50.7 **COLOUR** brewster grey mat **LOW-STEP** 49|53|57 cm/19.3|20.9|22.4 inch **COLOUR** brewster grey mat **HIGH-STEP** 53|57|61 cm/20.9|22.4|24 inch



Would you like more information about this bike? Check out www.gazellebikes.com

MIK
MOUNTING . IS . KEY

SHIMANO
STEPS



ORANGE C5 HMS

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight hydro-formed aluminium frame with 68.5° headset angle and 69.5° saddle tube angle for relaxed and comfortable riding. This is a low-step and spacious frame, single tube and lovely integrated cables.
- Integrated cables: Yes
- Fork: aluminium, telescopic sprung
- Chain guard: Aluminum
- Rear carrier: Aluminum MIK system carrier

WHEELS/TIRES

- Tires: Schwalbe Energizer Plus, 47-622
- Rims: Mach1 ER-10, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium, comfort curved model
- Stem: Gazelle Switch, manually steplessly adjustable
- Steer grip: Gazelle Aero leather
- Brake lever: Magura HS11
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Shimano
- Rear hub: Shimano Nexus, 5 speeds, freewheel
- Shifter: Shimano Nexus 5
- Brake system back: rim brake with hydraulic control; Magura HS11
- Brake system front: rim brake with hydraulic control; Magura HS11
- Crank: Aluminum
- Transmission: 39 x 28 teeth

SADDLE

- Seatpost: Sprung
- Saddle: Selle Royal Loire

LIGHTING

- Lights front: Gazelle Fendervision, LED headlamp, 50 lux, on/off switching via display
- Light powered by: battery
- Light back: Gazelle Fendervision, LED battery supply, on/off switching via display

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: drop-down rear stand, Ursus Mooi
- Chain: Gates CDX belt drive, with Centertrack

SYSTEM

- Display: Shimano Steps LCD
- Controlled on handle: Yes
- Sensors: rotation sensor; speed sensor; pedal force sensor
- Engine: Shimano STEPS E6100 (60NM)
- Battery: Li-ion, integrated into carrier
- Charger: 4 Ah

ITEM NUMBERS

NO.	DESCRIPTION				
G0395	Low-step 49 H5	28"	874	brewster grey mat	
G0396	Low-step 53 H5	28"	874	brewster grey mat	
G0397	Low-step 57 H5	28"	874	brewster grey mat	
G0402	High-step 53 H5	28"	874	brewster grey mat	
G0403	High-step 57 H5	28"	874	brewster grey mat	
G0404	High-step 61 H5	28"	874	brewster grey mat	



ORANGE C7 HMS



black mat



black mat



legion blue mat

The striking Gazelle Orange design is appealing. And you want a suitable model for the ride to work, the groceries and sometimes a nice bike ride. With pleasant support, comfort and ease of use. In short, a real Gazelle Orange.

- Relaxed cycling with Shimano Steps mid-mounted motor
- 7 gears gives you more than enough
- Just as easy to apply light braking as to make an emergency stop
- And with the luxury bike computer everything is under control

DESCRIPTION 7-speed Shimano Nexus gears with Magura HS11 hydraulic brakes **KG** 22,6 (excl. battery) **LBS** 49.8 (excl. battery) **COLOUR** black mat or legion blue mat **LOW-STEP** 49|53|57|61 cm/19.3|20.9|22.4|24 inch **COLOUR** black mat **HIGH-STEP** 57|61 cm/22.4|24 inch



Would you like more information about this bike? Check out www.gazellebikes.com

SHIMANO
STEPS



ORANGE C7 HMS

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight hydro-formed aluminium frame with 68.5° headset angle and 69.5° saddle tube angle for relaxed and comfortable riding. This is a low-step and spacious frame, single tube and lovely integrated cables.
- Integrated cables: Yes
- Fork: aluminium, telescopic sprung
- Chain case: Plastic
- Rear carrier: Aluminum

WHEELS/TIRES

- Tires: Continental CityRide Reflex, 42-622
- Rims: Mach1 ER-10, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium look, comfort curved model
- Stem: Gazelle Switch SL, manually steplessly adjustable
- Steer grip: Gazelle Aerowing
- Brake lever: Magura HS11
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Shimano
- Rear hub: Shimano Nexus, 7 speeds, freewheel
- Shifter: Shimano Nexus 7
- Brake system back: rim brake with hydraulic control; Magura HS11
- Brake system front: rim brake with hydraulic control; Magura HS11
- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Sprung
- Saddle: Selle Royal Herz

LIGHTING

- Lights front: Busch & Müller Upp Premium, LED headlamp, 30 lux, on/off switching via display
- Light powered by: battery
- Light back: Spanninga Brasa, LED battery supply, on/off switching via display

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: drop-down rear stand, Ursus Mooi

SYSTEM

- Display: Shimano Steps LCD
- Sensors: rotation sensor; speed sensor; pedal force sensor
- Engine: Shimano STEPS E-5000 (40Nm)
- Battery: Li-ion, integrated into carrier
- Charger: 2 Ah

ITEM NUMBERS

NO.	DESCRIPTION				
A6677	Low-step	49 H7	28"	001	black mat
A6678	Low-step	53 H7	28"	001	black mat
A6679	Low-step	57 H7	28"	001	black mat
A6680	Low-step	61 H7	28"	001	black mat
A6682	High-step	57 H7	28"	001	black mat
A6683	High-step	61 H7	28"	001	black mat
A6685	Low-step	49 H7	28"	472	legion blue mat
A6686	Low-step	53 H7	28"	472	legion blue mat
A6687	Low-step	57 H7	28"	472	legion blue mat



CITYGO C7 HMS



black mat



black mat



navy glossy

As a cost-effective e-bike with a mid-mounted motor, the CityGo HMS has everything that makes these Gazelle models so loved. From the striking design with a contrasting colour top tube to the integrated LED lighting with an optional front carrier. This enables the robust HMS model to feel at home in busy urban traffic and full cycle racks.

The flexible Shimano Steps E5000 motor delivers pleasant assistance as soon as it sets off.

- Lights are integrated into the frame, for optimum protection
- Dual protection against theft: a chain link lock in addition to the frame lock
- Stow the chain link lock easily in its unique case
- Low step and High step frames with smart contrasting colours

DESCRIPTION 7-speed Shimano Nexus gears with roller brakes and hub dynamo **KG** 21,5 **LBS** 47.4 **COLOUR** black mat or navy **LOW-STEP** 49|54|59 cm/19.3|21.3|23.2 inch **COLOUR** black mat **HIGH-STEP** 49|54|59|64 cm/19.3|21.3|23.2|25.2 inch



Would you like more information about this bike? Check out www.gazellebikes.com

SHIMANO
STEPS



CITYGO C7 HMS

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight oversized aluminium frame with 70.5° headset angle and 71.5° saddle tube angle gives positive steering characteristics. Both the high-step and low-step frames are fitted with a prominent double top tube
- Integrated cables: Yes
- Fork: steel, unsprung
- Chain case: Plastic
- Rear carrier: Aluminum

WHEELS/TIRES

- Tires: Continental CityRide Reflex, 42-622
- Rims: Ryde Dutch19, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium, comfort curved model
- Stem: Gazelle New Shuttle, with toolbox, steplessly adjustable
- Steer grip: Gazelle Aerowing
- Brake lever: Gazelle Ergo with softtouch for high braking comfort
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Shimano
- Rear hub: Shimano Nexus, 7 speeds, freewheel
- Shifter: Shimano Nexus 7
- Brake system back: roller brake; Shimano BR-C3000R
- Brake system front: roller brake; Shimano BR-C3000F

- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Fixed
- Saddle: Selle Royal

LIGHTING

- Lights front: Axa Compact Line 20, LED headlamp, 20 lux, on/off switching via display
- Light powered by: battery
- Light back: Spanninga Elips, LED battery supply, on/off switching via display

OTHER

- Lock type: AXA Solid Plus, ART ** certified
- Kickstand: drop-down rear stand, Ursus Mooi
- Chain: extra strong, special for e-bike

SYSTEM

- Display: Shimano Steps LCD
- Controlled on handle: Yes
- Sensors: rotation sensor; speed sensor; pedal force sensor
- Engine: Shimano STEPS E-5000 (40Nm), 36V
- Battery: Li-ion, down tube
- Charger: 2 Ah

ITEM NUMBERS

NO.	DESCRIPTION			
G0849	High-step 49 T7	28"	001	black mat
G0850	High-step 54 T7	28"	001	black mat
G0851	High-step 59 T7	28"	001	black mat
G0852	High-step 64 T7	28"	001	black mat
G0856	Low-step 49 T7	28"	001	black mat
G0857	Low-step 54 T7	28"	001	black mat
G0858	Low-step 59 T7	28"	001	black mat
G0863	Low-step 49 T7	28"	813	navy
G0864	Low-step 54 T7	28"	813	navy
G0865	Low-step 59 T7	28"	813	navy



AMI C7 HMS



meteor grey mat

Gazelle



copper mat

Comfort, safety and relaxed riding pleasure combine perfectly in the Gazelle Ami. The wide, low step-through frame allows you to sit on it very easily keeping both feet on the ground. You have the same safe feeling with braking: as soon as you're at a standstill again, you put both feet back to the ground.

Just great cycling with powerful assistance.

- Without a care: both feet on the ground at all times
- Sprung seat post and front fork iron out bumps
- Gel saddle and ergonomic handles can be adjusted to your posture
- The modern look boosts your self-confidence

DESCRIPTION 7-speed Shimano Nexus gears with Magura HS11 hydraulic brakes **KG** 20,4 (excl. battery) **LBS** 44.9 (excl. battery) **COLOUR** copper mat or meteor grey mat **LOW-STEP** 44|49 cm/17.3|19.3 inch



Would you like more information about this bike? Check out www.gazellebikes.com

SHIMANO
STEPS



AMI C7 HMS

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight aluminium frame with 68° headset angle and 70° saddle tube angle for an upright posture and comfortable steering behaviour. Featuring a very generously sized step-through
- Integrated cables: Yes
- Fork: aluminium, springing in headset, lightweight
- Chain case: Plastic
- Rear carrier: Aluminum

WHEELS/TIRES

- Tires: Schwalbe Marathon, 47-559
- Rims: Ryde X-plorer 26"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium, straight
- Stem: Gazelle Switch, manually steplessly adjustable
- Steer grip: Gazelle Aerowing
- Brake lever: Magura HS11

TRANSMISSION/BRAKE

- Front hub: Shimano
- Rear hub: Shimano Nexus, 7 speeds, freewheel
- Shifter: Shimano Nexus 7
- Brake system back: v-brake with hydraulic control; Magura HS11
- Brake system front: v-brake with hydraulic control; Magura HS11
- Crank: Miranda Delta
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Sprung
- Saddle: Selle Royal Loire

LIGHTING

- Lights front: Busch & Müller Upp Premium, LED headlamp, 40 lux, daylight running lights, on/off switching via display
- Light powered by: battery
- Light back: Gazelle X-Vision, LED battery supply, on/off switching via display

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: side stand, Massload CL-KA63, adjustable

SYSTEM

- Display: Shimano Steps LCD
- Controlled on handle: Yes
- Sensors: rotation sensor; speed sensor; pedal force sensor
- Engine: Shimano STEPS E-5000 (40Nm)
- Battery: Li-ion, integrated into carrier
- Charger: 2 Ah

ITEM NUMBERS

NO.	DESCRIPTION				
A5901	Low-step	44 H7	26"	635	meteor grey mat
A5902	Low-step	49 H7	26"	635	meteor grey mat
A5905	Low-step	44 H7	26"	847	copper mat
A5906	Low-step	49 H7	26"	847	copper mat



BALANCE C7 HFP



panther black glossy

Gazelle

The task for the engineers at Gazelle was: design a bike you can easily get on and off anywhere. And always with both feet on the ground. The result is the patented design of the Balance. A front wheel motor provides invisible assistance and ensures directional stability. Electric bikes don't come any safer.

- Wide, low step-through frame to (patented) seat comfort
- Everything under control with ergonomic handles and pedals
- Highly adjustable brakes with soft-touch handgrips
- Seat height and distance from saddle to handlebar individually adjustable

DESCRIPTION 7-speed Shimano Nexus gears with roller brakes **KG** 24,9 (excl. battery) **LBS** 54.9 (excl. battery)

COLOUR panther black **LOW-STEP** 46 cm/18.1 inch

ISP®: 'Intelligent Seating Position' seating technology is an internationally patented invention by Andries Gastra



Would you like more information about this bike? Check out www.gazellebikes.com

Panasonic



BALANCE C7 HFP

Specifications

FRAME/FRONT FORK

- Frame: Special frame with a very low and spacious step-through. Providing the saddle height is right, the rider's feet can always touch the ground properly, thanks to the unique geometry.
- Integrated cables: Yes
- Fork: steel, unsprung
- Chain case: Plastic
- Rear carrier: Aluminum

WHEELS/TIRES

- Tires: Schwalbe Marathon, 47-507
- Rims: Gazelle Balance, 24"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium look, comfort curved model
- Stem: Gazelle Switch SL, manually steplessly adjustable
- Steer grip: Ergon GP1-L, ergonomic
- Brake lever: Gazelle Ergo with softtouch for high braking comfort
- Bell: Gazelle Compact bell

TRANSMISSION/BRAKE

- Front hub: Panasonic front-wheel motor
- Rear hub: Shimano Nexus, 7 speeds, freewheel
- Shifter: Shimano Nexus 7
- Brake system back: roller brake; Shimano BR-C6000R
- Brake system front: roller brake; Shimano BR-C6000F
- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Fixed
- Saddle: Selle Royal Gipsy

LIGHTING

- Lights front: Gazelle LightVision, LED headlamp, 12 lux, on/off switching via handgrip control
- Light powered by: battery
- Light back: Gazelle X-Vision, LED battery supply, on/off switching via e-bike system

OTHER

- Lock type: Trelock RS451, ART ** certified
- Kickstand: side stand, Massload GA-KA63
- Chain: extra strong, special for e-bike

SYSTEM

- Display: Panasonic LCD center
- Controlled on handle: Yes
- Sensors: rotation sensor
- Engine: Panasonic (30Nm)
- Battery: Li-ion, integrated into carrier
- Charger: 2,5 Ah

ITEM NUMBERS

NO.	DESCRIPTION				
A1792	Low-step	46 T7	24"	276	panther black





ORANGE C8



black mat



black mat

The frame is not only extra stable and generously sized, it is also feather-light in aluminium. And the low step-through on the ladies' frame means you can hop on with greater ease. It is not without good reason that it is Gazelle's most comfortable bike.

- Striking Gazelle aluminium frame
- Less maintenance thanks to automatic chain tensioner
- Comfortable posture for relaxed cycling pleasure
- Attractive integrated lighting with extra-powerful

DESCRIPTION 8-speed Shimano Nexus gears with roller brakes **KG** 21,0 **LBS** 46.3 **COLOUR** black mat **LOW-STEP** 49|53|57|61 cm/19.3|20.9|22.4|24 inch **COLOUR** black mat **HIGH-STEP** 53|57|61|65 cm/20.9|22.4|24|25.6 inch

Would you like more information about this bike? Check out www.gazellebikes.com

MIK
MOUNTING . IS . KEY



ORANGE C8

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight hydro-formed aluminium frame with 68.5° headset angle and 69.5° saddle tube angle for relaxed and comfortable riding. This is a low-step and spacious frame, single tube and lovely integrated cables.
- Integrated cables: Yes
- Fork: aluminium, springing in headset, lightweight
- Chain case: Plastic, with automatic chain tensioner
- Rear carrier: Aluminum MIK system carrier

WHEELS/TIRES

- Tires: Continental Ride City 37-622
- Rims: Ryde Eco 19, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium, comfort curved model
- Stem: Gazelle Switch SL, manually steplessly adjustable
- Steer grip: Gazelle Aero leather
- Brake lever: Gazelle Ergo with softtouch for high braking comfort
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Shimano hub dynamo (2,4W)
- Rear hub: Shimano Nexus, 8 speeds, freewheel
- Shifter: Shimano Nexus 8
- Brake system back: roller brake; Shimano BR-C3000R
- Brake system front: roller brake; Shimano BR-C3000F
- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Sprung
- Saddle: Selle Royal Loire

LIGHTING

- Lights front: Gazelle Fendervision, LED headlamp, 40 lux, always on, with light sensor
- Light powered by: hub dynamo
- Light back: Spanninga Solo, LED battery, on/off switching via lamp

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: side stand, Massload GA-KA63
- Chain: Z510

ITEM NUMBERS

NO.	DESCRIPTION				
G0362	Low-step	49 T8	28"	001	black mat
G0363	Low-step	53 T8	28"	001	black mat
G0364	Low-step	57 T8	28"	001	black mat
G0365	Low-step	61 T8	28"	001	black mat
G0369	High-step	53 T8	28"	001	black mat
G0370	High-step	57 T8	28"	001	black mat
G0371	High-step	61 T8	28"	001	black mat
G0372	High-step	65 T8	28"	001	black mat



ORANGE C7+



navy glossy

Gazelle



eclipse black mat



ivory mat



navy glossy



eclipse black mat

This Gazelle fulfils all your wishes, both in town and on a longer touring ride. And stylish colours give the Orange C7+ timeless appeal. It is not without good reason that it is Gazelle's best-selling urban bike.

- Effortlessly wieldy thanks to stable aluminium frame
- Low maintenance thanks to automatic chain tensioner
- Suspension front fork and seat post absorb every bump
- This design is recognisable at a glance as a Gazelle

DESCRIPTION 7-speed Shimano Nexus gears with roller brakes and hub dynamo **KG** 21,0 **LBS** 46.3 **COLOUR** eclipse black mat or ivory mat or navy **LOW-STEP** 46|49|53|57|61 cm/18.1|19.3|20.9|22.4|24 inch **COLOUR** eclipse black mat or navy **HIGH-STEP** 49|53|57|61|65 cm/19.3|20.9|22.4|24|25.6 inch

Would you like more information about this bike? Check out www.gazellebikes.com

MIK
MOUNTING . IS . KEY



ORANGE C7+

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight hydro-formed aluminium frame with 68.5° headset angle and 69.5° saddle tube angle for relaxed and comfortable riding. This is a low-step and spacious frame, single tube and lovely integrated cables.
- Integrated cables: Yes
- Fork: aluminium, telescopic sprung
- Chain case: Plastic, with automatic chain tensioner
- Rear carrier: Aluminum MIK system carrier

WHEELS/TIRES

- Tires: Continental Ride City 37-622
- Rims: Ryde Eco 19, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium look, comfort curved model
- Stem: Gazelle Switch, manually steplessly adjustable
- Brake lever: Gazelle Ergo with softtouch for high braking comfort
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Shimano hub dynamo (3W)

- Rear hub: Shimano Nexus, 7 speeds, freewheel
- Shifter: Shimano Nexus 7
- Brake system back: roller brake; Shimano BR-C3000R
- Brake system front: roller brake; Shimano BR-C3000F
- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Sprung
- Saddle: Selle Royal Herz

LIGHTING

- Lights front: Busch & Müller Upp, LED headlamp, 30 lux, on/off switching via headlamp
- Light powered by: hub dynamo
- Light back: Spanninga Solo, LED battery, on/off switching via lamp

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: side stand, Massload GA-KA63
- Chain: Z510

ITEM NUMBERS

NO.	DESCRIPTION			
G0328	Low-step 46 T7	28"	388	eclipse black mat
G0329	Low-step 49 T7	28"	388	eclipse black mat
G0330	Low-step 53 T7	28"	388	eclipse black mat
G0331	Low-step 57 T7	28"	388	eclipse black mat
G0332	Low-step 61 T7	28"	388	eclipse black mat
G0335	High-step 49 T7	28"	388	eclipse black mat
G0336	High-step 53 T7	28"	388	eclipse black mat
G0337	High-step 57 T7	28"	388	eclipse black mat
G0338	High-step 61 T7	28"	388	eclipse black mat
G0339	High-step 65 T7	28"	388	eclipse black mat
G0342	Low-step 49 T7	28"	813	navy
G0343	Low-step 53 T7	28"	813	navy
G0344	Low-step 57 T7	28"	813	navy
G0350	High-step 57 T7	28"	813	navy
G0351	High-step 61 T7	28"	813	navy
G0352	High-step 65 T7	28"	813	navy
G0355	Low-step 49 T7	28"	322	ivory mat
G0356	Low-step 53 T7	28"	322	ivory mat
G0357	Low-step 57 T7	28"	322	ivory mat



CHAMONIX S8



meteor grey mat



meteor grey mat

Gazelle

Ideal combination of lightweight urban bike and sporty touring bike. It will give you just as much pleasure on your daily commute as a touring trip. Gazelle's designers used lightweight aluminium for both the sturdy men's model and the elegant ladies' frame with a low step-through.

- Lightweight construction with 8-speed gears for high performance
- Belt drive means this Gazelle needs hardly any maintenance
- Get a move on in a relaxed posture
- As flexible and sporty as the design promises

DESCRIPTION 8-speed Shimano Nexus Premium gears with Gates beltdrive **KG** 16,4 **LBS** 36.1 **COLOUR** meteor grey mat **LOW-STEP** 49|53|57 cm/19.3|20.9|22.4 inch **COLOUR** meteor grey mat **HIGH-STEP** 53|57|61 cm/20.9|22.4|24 inch



Would you like more information about this bike? Check out www.gazellebikes.com



CHAMONIX S8

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight oversized aluminium frame with 70.5° headset angle and 71.5° saddle tube angle gives positive steering control and sporty riding characteristics. Ladies' frame with low step-through, extra stable construction and sporty look.
- Integrated cables: Yes
- Fork: aluminium, unsprung, lightweight
- Chain guard: Aluminum
- Rear carrier: Racktime, aluminum

WHEELS/TIRES

- Tires: Schwalbe Spicer, 40-622
- Rims: Ryde Eco 19, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium, Hybrid bend
- Stem: Gazelle Switch, manually steplessly adjustable
- Steer grip: Ergon GC10
- Brake lever: Shimano ABL-R550
- Bell: Gazelle Compact bell

TRANSMISSION/BRAKE

- Front hub: Shimano hub dynamo (3W)
- Rear hub: Shimano Nexus Premium, 8 speeds, freewheel
- Shifter: Shimano Alfine 8
- Brake system back: v-brake; Shimano BR-T4000
- Brake system front: v-brake; Shimano BR-T4000
- Crank: Gates CDN
- Transmission: 50 x 24 teeth

SADDLE

- Seatpost: Fixed
- Saddle: Selle Royal Freccia

LIGHTING

- Lights front: Axa Compactline 35, LED headlamp, 35 lux, on/off switching via headlamp
- Light powered by: hub dynamo
- Light back: Spanninga Solo, LED battery, on/off switching via lamp

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: side stand, Massload CL-KA63, adjustable
- Chain: Gates CDN

ITEM NUMBERS

NO.	DESCRIPTION			
G0454	Low-step 49 V8	28"	635	meteor grey mat
G0455	Low-step 53 V8	28"	635	meteor grey mat
G0456	Low-step 57 V8	28"	635	meteor grey mat
G0461	High-step 53 V8	28"	635	meteor grey mat
G0462	High-step 57 V8	28"	635	meteor grey mat
G0463	High-step 61 V8	28"	635	meteor grey mat



CHAMONIX C8



iced coffee brown mat

Gazelle



iced coffee brown mat

Relaxed cycling in an active posture. That is what this all-rounder with its lightweight aluminium frame is intended for. With 8-speed gears, you will be off to a quick start at the traffic lights and really get a move on out of town. The Chamonix boasts a particularly sporty look and the use of the special chain case plus chain tensioner means your chain will always be tensioned correctly.

- Sportiness and comfort go very well together
- Automatic chain tensioner ensures chain is correctly tensioned at all times
- Low maintenance thanks to Nexus 8 premium internal hub gear and roller brakes
- One of Gazelle's smoothest-running bikes

DESCRIPTION 8-speed Shimano Nexus Premium gears with roller brakes and hub dynamo **KG** 17,0 **LBS** 37.4

COLOUR iced coffee brown mat **LOW-STEP** 49|53|57|61 cm/19.3|20.9|22.4|24 inch **COLOUR** iced coffee brown mat **HIGH-STEP** 53|57|61|65 cm/20.9|22.4|24|25.6 inch



Would you like more information about this bike? Check out www.gazellebikes.com



CHAMONIX C8

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight oversized aluminium frame with 70.5° headset angle and 71.5° saddle tube angle gives positive steering control and sporty riding characteristics. Ladies' frame with low step-through, extra stable construction and sporty look.
- Integrated cables: Yes
- Fork: aluminium, springing in headset, lightweight
- Chain case: Plastic, with automatic chain tensioner
- Rear carrier: Aluminum

WHEELS/TIRES

- Tires: Schwalbe Citizen, 37-622
- Rims: Ryde Eco 19, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium, comfort curved model
- Stem: Gazelle Switch, manually steplessly adjustable
- Steer grip: Ergon GC10
- Brake lever: Gazelle Ergo with softtouch for high braking comfort
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Shimano hub dynamo (2,4W)
- Rear hub: Shimano Nexus Premium, 8 speeds, freewheel
- Shifter: Shimano Nexus 8
- Brake system back: roller brake; Shimano BR-C3000R

- Brake system front: roller brake; Shimano BR-C3000F
- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Sprung
- Saddle: Selle Royal Nuvola

LIGHTING

- Lights front: Axa Compactline 35, LED headlamp, 35 lux, on/off switching via headlamp
- Light powered by: hub dynamo
- Light back: Spanninga Solo, LED battery, on/off switching via lamp

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: side stand, Gazelle Kinetic, steplessly adjustable
- Chain: Z510

ITEM NUMBERS

NO.	DESCRIPTION				
G0441	Low-step	49 T8	28"	876	iced coffee brown mat
G0442	Low-step	53 T8	28"	876	iced coffee brown mat
G0443	Low-step	57 T8	28"	876	iced coffee brown mat
G0444	Low-step	61 T8	28"	876	iced coffee brown mat
G0448	High-step	53 T8	28"	876	iced coffee brown mat
G0449	High-step	57 T8	28"	876	iced coffee brown mat
G0450	High-step	61 T8	28"	876	iced coffee brown mat
G0451	High-step	65 T8	28"	876	iced coffee brown mat



CHAMONIX C7



industry grey mat



industry grey mat



bossa nova mat

Gazelle's Chamonix C7 combines the positive features of this model range – sporty and comfortable cycling – with a stylish design. The black rims go nicely with the matt paint colours. With its 7-speed gears, chain case with automatic chain tensioner and hub dynamo, it is a robust low-maintenance all-rounder.

- Agile and light thanks to aluminium construction
- Suspension front fork and seat post absorb every bump
- Use of an automatic chain tensioner means no need to look after chain
- Recognisable Gazelle design

DESCRIPTION 7-speed Shimano Nexus gears with roller brakes **KG** 18,6 **LBS** 41 **COLOUR** bossa nova mat or industry grey mat **LOW-STEP** 49|53|57|61 cm/19.3|20.9|22.4|24 inch **COLOUR** industry grey mat **HIGH-STEP** 53|57|61|65 cm/20.9|22.4|24|25.6 inch



Would you like more information about this bike? Check out www.gazellebikes.com

CHAMONIX C7

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight oversized aluminium frame with 70.5° headset angle and 71.5° saddle tube angle gives positive steering control and sporty riding characteristics. Ladies' frame with low step-through, extra stable construction and sporty look.
- Integrated cables: Yes
- Fork: aluminium, springing in headset, lightweight
- Chain case: Plastic, with automatic chain tensioner
- Rear carrier: Aluminum

WHEELS/TIRES

- Tires: Schwalbe Citizen, 37-622
- Rims: Ryde Eco 19, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium look, comfort curved model
- Stem: Gazelle Switch SL, manually steplessly adjustable
- Steer grip: Ergon GC10
- Brake lever: Gazelle Ergo with softtouch for high braking comfort
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Shimano hub dynamo (2,4W)
- Rear hub: Shimano Nexus, 7 speeds, freewheel
- Shifter: Shimano Nexus 7
- Brake system back: roller brake; Shimano BR-C3000R

- Brake system front: roller brake; Shimano BR-C3000F
- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Sprung
- Saddle: Selle Royal Nuvola

LIGHTING

- Lights front: Axa Compactline 35, LED headlamp, 35 lux, on/off switching via headlamp
- Light powered by: hub dynamo
- Light back: Spanninga Solo, LED battery, on/off switching via lamp

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: side stand, Gazelle Kinetic, steplessly adjustable
- Chain: Z510

ITEM NUMBERS

NO.	DESCRIPTION			
G0421	Low-step 49 T7	28"	468	industry grey mat
G0422	Low-step 53 T7	28"	468	industry grey mat
G0423	Low-step 57 T7	28"	468	industry grey mat
G0424	Low-step 61 T7	28"	468	industry grey mat
G0428	High-step 53 T7	28"	468	industry grey mat
G0429	High-step 57 T7	28"	468	industry grey mat
G0430	High-step 61 T7	28"	468	industry grey mat
G0431	High-step 65 T7	28"	468	industry grey mat
G0434	Low-step 49 T7	28"	440	bossa nova mat
G0435	Low-step 53 T7	28"	440	bossa nova mat
G0436	Low-step 57 T7	28"	440	bossa nova mat
G0437	Low-step 61 T7	28"	440	bossa nova mat



VENTO C7



dust mat



dust mat



avalon blue mat

The Vento C7 is a versatile lightweight urban bike in a sporty design. Its resilient suspension front fork and seatpost enhances your cycling comfort. This Gazelle needs hardly any maintenance thanks to its cables integrated into the frame, enclosed chain case and hub dynamo. All this in a good value-for-money package.

- Carefree cycling in a metropolitan environment
- Shifting mechanism, brakes and dynamo can take the occasional knock
- Comfortable posture for relaxed cycling
- High-end look & feel

DESCRIPTION 7-speed Shimano Nexus gears with roller brakes **KG** 17,9 **LBS** 39.4 **COLOUR** avalon blue mat or dust mat **LOW-STEP** 46|49|53|57 cm/18.1|19.3|20.9|22.4 inch **COLOUR** dust mat **HIGH-STEP** 53|57|61 cm/20.9|22.4|24 inch

Would you like more information about this bike? Check out www.gazellebikes.com

VENTO C7

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight aluminium frame, with sporty geometry and internal cable routing
- Integrated cables: Yes
- Fork: aluminium, telescopic sprung
- Chain case: Plastic
- Rear carrier: Aluminum

WHEELS/TIRES

- Tires: Schwalbe City Lite, 37-622
- Rims: Rodi Connect, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium, comfort curved model
- Stem: Gazelle Switch, manually steplessly adjustable
- Steer grip: Gazelle Aerowing
- Brake lever: Gazelle Ergo with softtouch for high braking comfort
- Bell: Gazelle Compact bell

TRANSMISSION/BRAKE

- Front hub: Shimano hub dynamo (2,4W)
- Rear hub: Shimano Nexus, 7 speeds, freewheel
- Shifter: Shimano Nexus 7
- Brake system back: roller brake; Shimano BR-IM31
- Brake system front: roller brake; Shimano BR-C3000F
- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Sprung
- Saddle: Selle Royal

LIGHTING

- Lights front: AXA Pico 30, LED headlamp, 30 lux, on/off switching via headlamp
- Light powered by: hub dynamo
- Light back: AXA Riff, LED battery, on/off switching via lamp

OTHER

- Lock type: AXA Solid Plus, ART ** certified
- Kickstand: side stand, Massload CL-KA36, adjustable
- Chain: Z510

ITEM NUMBERS

NO.	DESCRIPTION				
A9311	Low-step	46 T7	28"	822	dust mat
A9312	Low-step	49 T7	28"	822	dust mat
A9313	Low-step	53 T7	28"	822	dust mat
A9314	Low-step	57 T7	28"	822	dust mat
A9316	High-step	53 T7	28"	822	dust mat
A9317	High-step	57 T7	28"	822	dust mat
A9318	High-step	61 T7	28"	822	dust mat
G0757	Low-step	49 T7	28"	870	avalon blue mat
G0758	Low-step	53 T7	28"	870	avalon blue mat
G0759	Low-step	57 T7	28"	870	avalon blue mat



CITYGO C7



jeans blue glossy



eclipse black mat



eclipse black mat

CityGo is Gazelle's answer to busy urban traffic and full cycle parking: a striking presence with a contrasting colour top tube, LED lighting integrated into the frame and an optional innovative front carrier. A bike that can take the occasional knock and needs almost no maintenance.

The C7 with as many as 7 speeds is the sportiest CityGo. This keeps the pedal effort on this Gazelle light even with strong headwinds and on hilly roads.

- Safely integrated lighting front and rear with hub dynamo
- Theft protection with a ring lock plus chain lock in a handy storage compartment
- Sporty performance and cycling pleasure from 7-speed gears
- Lightweight aluminium frame with sturdy luggage carrier

DESCRIPTION 7-speed Shimano Nexus gears with roller brakes and hub dynamo **KG** 18,6 **LBS** 41 **COLOUR** eclipse black mat or jeans blue **LOW-STEP** 49|54|59 cm/19.3|21.3|23.2 inch **COLOUR** eclipse black mat **HIGH-STEP** 49|54|59 cm/19.3|21.3|23.2 inch

Matching Bicycle front carrier available

Would you like more information about this bike? Check out www.gazellebikes.com

CITYGO C7

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight oversized aluminium frame with 70.5° headset angle and 71.5° saddle tube angle gives positive steering characteristics. Both the high-step and low-step frames are fitted with a prominent double top tube
- Integrated cables: Yes
- Fork: steel, unsprung
- Rear carrier: Aluminum

WHEELS/TIRES

- Tires: Continental CityRide, 42-622
- Rims: Ryde Dutch19, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium, comfort curved model
- Stem: Gazelle Shuttle, with toolbox, steplessly adjustable
- Steer grip: Gazelle Aerowing
- Brake lever: Gazelle Ergo with softtouch for high braking comfort
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Shimano hub dynamo (2,4W)
- Rear hub: Shimano Nexus, 7 speeds, freewheel
- Shifter: Shimano Nexus 7
- Brake system back: roller brake; Shimano BR-C3000R
- Brake system front: roller brake; Shimano BR-C3000F
- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Fixed
- Saddle: Selle Royal

LIGHTING

- Lights front: Axa Eco line 15, LED headlamp, 15 lux, always on
- Light powered by: hub dynamo
- Light back: Spanninga Elips, LED light hub dynamo, always on

OTHER

- Lock type: AXA Solid Plus, ART ** certified
- Kickstand: side stand, Massload CL-KA63, adjustable
- Chain: Z410RB 1/2X1/8

ITEM NUMBERS

NO.	DESCRIPTION				
A7677	Low-step	49 7T	28"	653	jeans blue
A7678	Low-step	54 7T	28"	653	jeans blue
A7679	Low-step	59 7T	28"	653	jeans blue
G0803	High-step	49 7T	28"	388	eclipse black mat
G0804	High-step	54 7T	28"	388	eclipse black mat
G0806	High-step	59 7T	28"	388	eclipse black mat
G0810	Low-step	49 7T	28"	388	eclipse black mat
G0811	Low-step	54 7T	28"	388	eclipse black mat
G0812	Low-step	59 7T	28"	388	eclipse black mat



CITYGO C3



black glossy



jeans mat



black mat



moon rock mat

Gazelle

CityGo is Gazelle's answer to busy urban traffic and full cycle parking: a striking presence with a contrasting colour top tube, LED lighting integrated into the frame and an optional innovative front carrier. A bike that can take the occasional knock and needs almost no maintenance. The CityGo C3 is striking all-rounder for commuting, a trouble-free daily ride at home in a metropolitan environment.

- Safely integrated lighting front and rear with hub dynamo
- Theft protection with a ring lock plus chain lock in a handy storage compartment
- Comfortable cycling and ease of operation provided by 3-speed gears
- Striking colour combinations available

DESCRIPTION 3-speed Shimano Nexus gears with roller brakes and hub dynamo **KG** 18,6 **LBS** 41 **COLOUR** black or jeans mat or moon rock mat **LOW-STEP** 46|49|54|59 cm/18.1|19.3|21.3|23.2 inch **COLOUR** black mat **HIGH-STEP** 49|54|59|64 cm/19.3|21.3|23.2|25.2 inch

Matching Bicycle front carrier available

Would you like more information about this bike? Check out www.gazellebikes.com



CITYGO C3

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight oversized aluminium frame with 70.5° headset angle and 71.5° saddle tube angle gives positive steering characteristics. Both the high-step and low-step frames are fitted with a prominent double top tube
- Integrated cables: Yes
- Fork: steel, unsprung
- Chain case: Plastic
- Rear carrier: Aluminum

WHEELS/TIRES

- Tires: Continental CityRide, 42-622
- Rims: Ryde Dutch19, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium, comfort curved model
- Stem: Gazelle Shuttle, with toolbox, steplessly adjustable
- Steer grip: Gazelle Aerowing
- Brake lever: Gazelle Ergo with softtouch for high braking comfort
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Shimano hub dynamo (2,4W)
- Rear hub: Shimano Nexus, 3 speeds, freewheel
- Shifter: Shimano Nexus 3

- Brake system back: roller brake; Shimano BR-C3000R
- Brake system front: roller brake; Shimano BR-C3000F
- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Fixed
- Saddle: Selle Royal

LIGHTING

- Lights front: Axa Eco line 15, LED headlamp, 15 lux, always on
- Light powered by: hub dynamo
- Light back: Spanninga Elips, LED light hub dynamo, always on

OTHER

- Lock type: AXA Solid Plus, ART ** certified
- Kickstand: side stand, Massload CL-KA63, adjustable
- Chain: Z410RB 1/2X1/8

ITEM NUMBERS

NO.	DESCRIPTION				
A4493	Low-step	46 T3	28"	001	black
A4494	Low-step	49 T3	28"	001	black
A4495	Low-step	54 T3	28"	001	black
A4497	Low-step	46 T3	28"	820	jeans mat
A4498	Low-step	49 T3	28"	820	jeans mat
A4499	Low-step	54 T3	28"	820	jeans mat
A4500	Low-step	59 T3	28"	820	jeans mat
G0776	High-step	49 T3	28"	001	black mat
G0777	High-step	54 T3	28"	001	black mat
G0779	High-step	59 T3	28"	001	black mat
G0780	High-step	64 T3	28"	001	black mat
G0783	Low-step	49 T3	28"	699	moon rock mat
G0784	Low-step	54 T3	28"	699	moon rock mat
G0785	Low-step	59 T3	28"	699	moon rock mat



ESPRIT



petrol mat



jeans mat



black mat



black mat



ivory mat

The current Esprit consists of 3 robust bikes that go on for ever and are able to take the occasional knock. These are without exception bikes for today that will keep their looks for many years. LED lighting front and rear to see and be seen better. You will choose the gears and brake system according to what you plan to do with your new bike. 7-speed gears with roller brakes for example like the Esprit T7

- Sporty performance with 1, 3 or 7-speed gears
- Lightweight aluminium frame with sturdy luggage carrier and integrated front light
- Front and rear light are powered by a hub dynamo, no hassle with batteries
- Can also be fitted with a striking front carrier for your bag

DESCRIPTION 3-speed Shimano Nexus gears with roller brakes and hub dynamo **KG** 16,9 **LBS** 37.2 **COLOUR** black mat or ivory mat or jeans mat **LOW-STEP** 46|49|54|59 cm/18.1|19.3|21.3|23.2 inch **COLOUR** black mat or petrol mat **HIGH-STEP** 49|54|59 cm/19.3|21.3|23.2 inch

DESCRIPTION 7-speed Shimano Nexus gears with roller brakes and hub dynamo **KG** 17,9 **LBS** 39.4 **COLOUR** black mat or ivory mat or jeans mat **LOW-STEP** 46|49|54|59 cm/18.1|19.3|21.3|23.2 inch **COLOUR** black mat or petrol mat **HIGH-STEP** 49|54|59 cm/19.3|21.3|23.2 inch

Would you like more information about this bike? Check out www.gazellebikes.com

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight oversized aluminium frame with 70.5° headset angle and 71.5° saddle tube angle gives positive steering characteristics. Ladies' frame with low, spacious step-through, double tube.
- Integrated cables: Yes
- Fork: steel, unsprung
- Chain case: Plastic
- Rear carrier: Aluminum

WHEELS/TIRES

- Tires: Continental Ride City, 42-622
- Rims: Ryde Dutch19, 28"

ITEM NUMBERS

NO.	DESCRIPTION				
G0902	Low-step 46 T3	28"	001	black mat	
G0903	Low-step 49 T3	28"	001	black mat	
G0904	Low-step 54 T3	28"	001	black mat	
G0905	Low-step 59 T3	28"	001	black mat	
G0909	High-step 49 T3	28"	001	black mat	
G0910	High-step 54 T3	28"	001	black mat	
G0911	High-step 59 T3	28"	001	black mat	
G0922	High-step 49 T3	28"	690	petrol mat	
G0923	High-step 54 T3	28"	690	petrol mat	
G0924	High-step 59 T3	28"	690	petrol mat	
G0928	Low-step 46 T3	28"	820	jeans mat	
G0929	Low-step 49 T3	28"	820	jeans mat	
G0930	Low-step 54 T3	28"	820	jeans mat	
G0931	Low-step 59 T3	28"	820	jeans mat	
G0935	Low-step 46 T3	28"	322	ivory mat	
G0936	Low-step 49 T3	28"	322	ivory mat	
G0937	Low-step 54 T3	28"	322	ivory mat	
G0938	Low-step 59 T3	28"	322	ivory mat	
G0942	Low-step 46 T7	28"	001	black mat	
G0943	Low-step 49 T7	28"	001	black mat	
G0944	Low-step 54 T7	28"	001	black mat	
G0945	Low-step 59 T7	28"	001	black mat	
G0949	High-step 49 T7	28"	001	black mat	
G0950	High-step 54 T7	28"	001	black mat	
G0951	High-step 59 T7	28"	001	black mat	
G0956	Low-step 49 T7	28"	820	jeans mat	
G0957	Low-step 54 T7	28"	820	jeans mat	
G0958	Low-step 59 T7	28"	820	jeans mat	
G0963	Low-step 49 T7	28"	322	ivory mat	
G0964	Low-step 54 T7	28"	322	ivory mat	
G0965	Low-step 59 T7	28"	322	ivory mat	
G0969	High-step 49 T7	28"	690	petrol mat	
G0970	High-step 54 T7	28"	690	petrol mat	
G0971	High-step 59 T7	28"	690	petrol mat	

- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium, comfort curved model
- Stem: Gazelle Niro, non-adjustable
- Steer grip: Widek Aerowing
- Brake lever: Gazelle Ergo with softtouch for high braking comfort

TRANSMISSION/BRAKE

- Front hub: Shimano hub dynamo (2,4W)
- Rear hub: Shimano Nexus, 3 speeds, freewheel or Shimano Nexus, 7 speeds, freewheel
- Shifter: Shimano Nexus 3 or Shimano Nexus 7
- Brake system back: roller brake; Shimano BR-IM31
- Brake system front: roller brake; Shimano BR-C3000F
- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Fixed
- Saddle: Selle Royal

LIGHTING

- Lights front: Axa Eco line 15, LED headlamp, 15 lux, always on
- Light powered by: hub dynamo
- Light back: AXA Riff, LED light hub dynamo, always on

OTHER

- Lock type: AXA Solid Plus, ART ** certified
- Kickstand: side stand, Massload GA-KA63
- Chain: KMC Z410 RB

MISS GRACE



ivory glossy



georgia peach mat



black mat

Miss Grace: the name says it all. An elegant bike in a contemporary design that meets the needs of modern women. Durable and with an environmentally conscious look. Can take the occasional knock and offers plenty of practical luggage space. Hub dynamo, high-quality parts and meticulous assembly ensure that Miss Grace is satisfied with very little maintenance.

- Sturdy, remarkably practical yet effortless pedalling
- Safe loading thanks to twin-leg stand and steering lock
- Rear carrier available in the same colour as the bike.
- Also available as an e-bike with mid-mounted motor

DESCRIPTION 3-speed Shimano Nexus gears with roller brakes **KG** 22,0 **LBS** 48.5 **COLOUR** black mat or georgia peach mat or ivory **LOW-STEP** 49|54|59 cm/19.3|21.3|23.2 inch

DESCRIPTION 7-speed Shimano Nexus gears with roller brakes **KG** 22,0 **LBS** 48.5 **COLOUR** black mat or georgia peach mat or ivory **LOW-STEP** 49|54|59 cm/19.3|21.3|23.2 inch

Would you like more information about this bike? Check out www.gazellebikes.com

MISS GRACE

Specifications

FRAME/FRONT FORK

- Frame: Stable oversized aluminium frame with 70° headset angle and 71° saddle tube angle gives a comfortable posture and positive steering characteristics. Through its geometry and stability, also extremely suitable for heavy loads.
- Integrated cables: Yes
- Fork: steel, unsprung
- Chain case: Plastic
- Rear carrier: Aluminum
- Front carrier: wide aluminium front carrier for adjustable handlebars

WHEELS/TIRES

- Tires: Impac Fatpac, 50-622
- Rims: Mach1 ER-10, 28"
- Spokes: Stainless steel, extra strong
- Fender: Stainless steel

STEERING

- Handlebar: aluminium look, generous bend
- Stem: Gazelle Shuttle, with toolbox, steplessly adjustable
- Steer grip: Gazelle Aerowing
- Brake lever: Gazelle Ergo with softtouch for high braking comfort
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Shimano hub dynamo (2,4W)
- Rear hub: Shimano Nexus, 3 speeds, freewheel or Shimano Nexus, 7 speeds, freewheel
- Shifter: Shimano Nexus 3 or Shimano Nexus 7
- Brake system back: roller brake; Shimano BR-IM31
- Brake system front: roller brake; Shimano BR-C3000F
- Crank: Aluminum
- Transmission: 38 x 19 teeth

SADDLE

- Seatpost: Fixed
- Saddle: Selle Royal Gipsy

LIGHTING

- Lights front: Spanninga Swingo, LED headlamp, 12 lux, on/off switching via headlamp
- Light powered by: hub dynamo
- Light back: AXA Riff, LED battery, on/off switching via lamp

OTHER

- Lock type: AXA Solid Plus, ART ** certified
- Kickstand: centered double stand, Massload GA-KA85
- Chain: KMC Z410 RB

ITEM NUMBERS

NO.	DESCRIPTION				
G1063	Low-step	49 T3	28"	001	black mat
G1064	Low-step	54 T3	28"	001	black mat
G1065	Low-step	59 T3	28"	001	black mat
G1070	Low-step	49 T3	28"	322	ivory
G1071	Low-step	54 T3	28"	322	ivory
G1072	Low-step	59 T3	28"	322	ivory
G1077	Low-step	49 T3	28"	864	georgia peach mat
G1078	Low-step	54 T3	28"	864	georgia peach mat
G1079	Low-step	59 T3	28"	864	georgia peach mat
G1084	Low-step	49 T7	28"	001	black mat
G1085	Low-step	54 T7	28"	001	black mat
G1086	Low-step	59 T7	28"	001	black mat
G1091	Low-step	49 T7	28"	322	ivory
G1092	Low-step	54 T7	28"	322	ivory
G1093	Low-step	59 T7	28"	322	ivory
G1098	Low-step	49 T7	28"	864	georgia peach mat
G1099	Low-step	54 T7	28"	864	georgia peach mat
G1100	Low-step	59 T7	28"	864	georgia peach mat



HEAVYDUTYNL



black mat



dust light mat



copper mat



hunter green mat



black mat



harvest gold mat

The HeavyDutyNL has all the features of a delivery bike for heavy work. You can easily take a lot with you on its robust front and rear carriers. The pedal effort on this delivery bike is nonetheless nice and light. This is due to the fact that its designer frame and both carriers are made of aluminium. And the wide tyres absorb all the bumps.

- Gazelle's most complete and multipurpose delivery bike
- Safe loading thanks to twin-leg stand and steering lock
- Hub dynamo and integrated cables
- Also available as an e-bike with powerful mid-mounted motor

DESCRIPTION 3-speed Shimano Nexus gears with roller brakes **KG** 22,8 **LBS** 50.2 or 50.3 **COLOUR** black mat or copper mat or dust light mat or harvest gold mat **LOW-STEP** 49|54|59 cm/19.3|21.3|23.2 inch **COLOUR** black mat or hunter green mat **HIGH-STEP** 49|54|59 cm/19.3|21.3|23.2 inch

DESCRIPTION 7-speed Shimano Nexus gears with roller brakes **KG** 22,8 **LBS** 50.2 or 50.3 **COLOUR** black mat or copper mat or dust light mat or harvest gold mat **LOW-STEP** 49|54|59 cm/19.3|21.3|23.2 inch **COLOUR** black mat or hunter green mat **HIGH-STEP** 49|54|59 cm/19.3|21.3|23.2 inch

Would you like more information about this bike? Check out www.gazellebikes.com

HEAVYDUTYNL

Specifications

FRAME/FRONT FORK

- Frame: Stable oversized aluminium frame with 70° headset angle and 71° saddle tube angle gives a comfortable posture and positive steering characteristics. Through its geometry and stability, also extremely suitable for heavy loads.
- Integrated cables: Yes
- Fork: steel, unsprung
- Chain case: Plastic
- Rear carrier: Aluminum
- Front carrier: wide aluminium front carrier for adjustable handlebars

ITEM NUMBERS

NO.	DESCRIPTION				
A0275	Low-step	49 T3	28"	001	black mat
A0276	Low-step	54 T3	28"	001	black mat
A0277	Low-step	59 T3	28"	001	black mat
A0448	High-step	49 T3	28"	001	black mat
A0449	High-step	54 T3	28"	001	black mat
A0450	High-step	59 T3	28"	001	black mat
A0515	Low-step	49 T7	28"	001	black mat
A0516	Low-step	54 T7	28"	001	black mat
A0517	Low-step	59 T7	28"	001	black mat
A1596	High-step	49 T7	28"	001	black mat
A1597	High-step	54 T7	28"	001	black mat
A1598	High-step	59 T7	28"	001	black mat
A6959	Low-step	49 T3	28"	683	harvest gold mat
A6960	Low-step	54 T3	28"	683	harvest gold mat
A6961	Low-step	59 T3	28"	683	harvest gold mat
A6972	Low-step	49 T7	28"	683	harvest gold mat
A6973	Low-step	54 T7	28"	683	harvest gold mat
A6974	Low-step	59 T7	28"	683	harvest gold mat
G0995	High-step	49 T3	28"	674	hunter green mat
G0996	High-step	54 T3	28"	674	hunter green mat
G0997	High-step	59 T3	28"	674	hunter green mat
G1002	Low-step	49 T3	28"	851	dust light mat
G1003	Low-step	54 T3	28"	851	dust light mat
G1004	Low-step	59 T3	28"	851	dust light mat
G1009	Low-step	49 T3	28"	847	copper mat
G1010	Low-step	54 T3	28"	847	copper mat
G1011	Low-step	59 T3	28"	847	copper mat
G1022	High-step	49 T7	28"	674	hunter green mat
G1023	High-step	54 T7	28"	674	hunter green mat
G1024	High-step	59 T7	28"	674	hunter green mat
G1029	Low-step	49 T7	28"	851	dust light mat
G1030	Low-step	54 T7	28"	851	dust light mat
G1031	Low-step	59 T7	28"	851	dust light mat
G1036	Low-step	49 T7	28"	847	copper mat
G1037	Low-step	54 T7	28"	847	copper mat
G1038	Low-step	59 T7	28"	847	copper mat

WHEELS/TIRES

- Tires: Impac Fatpac, 50-622
- Rims: Mach1 ER-10, 28"
- Spokes: Stainless steel, extra strong
- Fender: Stainless steel

STEERING

- Handlebar: aluminium look, generous bend
- Stem: Gazelle Niro, non-adjustable
- Steer grip: Gazelle Aerowing
- Brake lever: Gazelle Ergo with softtouch for high braking comfort
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Shimano hub dynamo (2,4W)
- Rear hub: Shimano Nexus, 3 speeds, freewheel or Shimano Nexus, 7 speeds, freewheel
- Shifter: Shimano Nexus 3 or Shimano Nexus 7
- Brake system back: roller brake; Shimano BR-IM31
- Brake system front: roller brake; Shimano BR-C3000F
- Crank: Aluminum
- Transmission: 38 x 19 teeth

SADDLE

- Seatpost: Fixed
- Saddle: Selle Royal Witch

LIGHTING

- Lights front: Spanninga Swingo, LED headlamp, 20 lux, on/automatic switching via headlamp
- Light powered by: hub dynamo
- Light back: AXA Riff, LED battery, on/off switching via lamp

OTHER

- Lock type: AXA Solid Plus, ART ** certified
- Kickstand: centered double stand, MassLoad CL KA85
- Chain: Z410RB 1/2X1/8

TOUR POPULAIR



black glossy



black glossy

Gazelle

The Gazelle Tour Populaire is the true classic among bike. Steel tubes curved into an indestructible and iconic frame, fitted with steel mudguards styled throughout, and hand painted touches on the mudguards and head tube by craftsmen in our Dieren factory in The Netherlands.

- Delightfully relaxed posture
- A robust steel frame with a steel luggage carrier and stainless-steel rims
- Optimum protection against theft thanks to the AXA security lock
- Complete with classic Brooks leather saddle

DESCRIPTION 8-speed Shimano Nexus gears with roller brakes **KG** 22,9 **LBS** 50.4 **COLOUR** black **LOW-STEP** 51|57 cm/20.1|22.4 inch **COLOUR** black **HIGH-STEP** 57|61|66 cm/22.4|24|26 inch

Would you like more information about this bike? Check out www.gazellebikes.com



TOUR POPULAIR

Specifications

FRAME/FRONT FORK

- Frame: 65° seat angle geometry for very relaxed cycling posture
- Integrated cables: No
- Fork: steel, unsprung
- Varnished fabric: Varnished fabric
- Rear carrier: Steel

WHEELS/TIRES

- Tires: Continental Classic Ride, 40-635
- Rims: Stainless steel, polished, 28"
- Spokes: Stainless steel, extra strong
- Fender: Stainless steel

STEERING

- Handlebar: touring model, fixed, wide
- Stem: Gazelle Niro, non-adjustable
- Steer grip: Gazelle Vario Comfort Leather
- Brake lever: Gazelle Ergo with softtouch for high braking comfort
- Bell: handlebar bell steel

TRANSMISSION/BRAKE

- Front hub: Shimano hub dynamo (3W)
- Rear hub: Shimano Nexus, 8 speeds, freewheel
- Shifter: Shimano Nexus 8
- Brake system back: roller brake; Shimano BR-IM31
- Brake system front: roller brake; Shimano BR-C3000F
- Crank: Steel - Chrome
- Transmission: 44 x 19 teeth

SADDLE

- Seatpost: Fixed
- Saddle: Brooks B67, leather
-

LIGHTING

- Lights front: Busch & Müller LYT Lumotec Retro, Halogen headlamp, 17 lux, on/off switching via headlamp
- Light powered by: hub dynamo
- Light back: Gazelle Nr 9, LED battery, on/off switching via lamp

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: side stand, Massload GA-KA63
- Chain: Z510

ITEM NUMBERS

NO.	DESCRIPTION				
A5036	High-step 57 T8	28"	001	black	
A5037	High-step 61 T8	28"	001	black	
A5038	High-step 66 T8	28"	001	black	
A5039	Low-step 51 T8	28"	001	black	
A5040	Low-step 57 T8	28"	001	black	



VAN STAEL



green eyes glossy



dust glossy



petrol glossy



ivory glossy

This design revives the golden age of cycle racing. The designers took their inspiration from the renowned Gazelle Champion Mondial and subsequent lightweight models like the Tour de France. The slender steel tubes are once again held together with lugs to make a rigid frame. Stainless-steel mudguards, traditional racing tyres and a Brooks leather saddle complete the nostalgic picture.

- Sporty cycling in retro design
- Braking and shifting with up-to-date technology
- Optional front and rear carrier lighting
- A striking presence in the city jungle

DESCRIPTION 7-speed Shimano Nexus gears with v-brakes **KG** 14,2 **LBS** 31.3 **COLOUR** dust or petrol **HIGH-STEP** 54|59|64 cm/21.3|23.2|25.2 inch **COLOUR** green eyes or ivory **MID-STEP** 49|54|59 cm/19.3|21.3|23.2 inch



Would you like more information about this bike? Check out www.gazellebikes.com

VAN STAEL

Specifications

FRAME/FRONT FORK

- Frame: Robust steel frame with 73° headset and saddle tube angle for precise, manoeuvrable ride characteristics. The compact geometry and short wheelbase result in a sporty riding experience.
- Integrated cables: No
- Fork: steel, unsprung
- Chain guard: Aluminum

WHEELS/TIRES

- Tires: Continental SportContact II, 28-622
- Rims: Vuelta Airline, 28"
- Spokes: Stainless steel, extra strong
- Fender: Stainless steel with chrome look

STEERING

- Handlebar: aluminium, straight
- Stem: Gazelle Magix, non-adjustable
- Steer grip: Brooks Slender
- Brake lever: Tektro FL750
- Bell: handlebar bell steel

TRANSMISSION/BRAKE

- Front hub: Aluminum
- Rear hub: Shimano Nexus, 7 speeds, freewheel
- Shifter: Shimano Nexus 7
- Brake system back: v-brake; Tektro R559
- Brake system front: v-brake; Tektro R737S-F
- Crank: Steel - Chrome
- Transmission: 44 x 19 teeth

SADDLE

- Seatpost: Fixed
- Saddle: Brooks B17, leather

LIGHTING

- Lights front: optionally available
- Light powered by: none
- Light back: optionally available

OTHER

- Lock type: none
- Kickstand: side stand, Gazelle side stand, aluminium
- Chain: Z510

ITEM NUMBERS

NO.	DESCRIPTION				
A6850	Mid-step	49 V7	28"	852	green eyes
A6851	Mid-step	54 V7	28"	852	green eyes
A6852	Mid-step	59 V7	28"	852	green eyes
A6853	High-step	54 V7	28"	822	dust
A6854	High-step	59 V7	28"	822	dust
A6855	High-step	64 V7	28"	822	dust
A6856	High-step	54 V7	28"	690	petrol
A6857	High-step	59 V7	28"	690	petrol
A6858	High-step	64 V7	28"	690	petrol
A6859	Mid-step	49 V7	28"	322	ivory
A6860	Mid-step	54 V7	28"	322	ivory
A6861	Mid-step	59 V7	28"	322	ivory



CLASSIC



panther black glossy



jeans blue mat



pale green



powder rose mat



panther black glossy



panther black mat



desert titanium grey mat

The Gazelle Classic with its low step-through frame has been steadily improved over the years. And now it's available in new colours. Paintwork and chrome, all the controls can take the occasional knock. The high-quality, nostalgic look is still there. And that will remain, even after many years of carefree cycling fun. And that's the big difference between our Classic and countless lookalikes.

- Such relaxed cycling used to be very common
- No more heavy pedal effort thanks to 3 gears
- Safe braking at all times with coaster brake and hand brake
- And so robust: stays in top condition without being looked after

DESCRIPTION 3-speed Shimano Nexus gears with coaster brake and front drum brake **KG** 18,9 **LBS** 41.6

COLOUR desert titanium grey mat or jeans blue mat or pale green or panther black or panther black mat or powder rose mat **LOW-STEP** 51|57 cm/20.1|22.4 inch **COLOUR** panther black **HIGH-STEP** 57|61 cm/22.4|24 inch

Would you like more information about this bike? Check out www.gazellebikes.com

CLASSIC

Specifications

FRAME/FRONT FORK

- Frame: 65° seat angle geometry for very relaxed cycling posture
- Integrated cables: No
- Fork: steel, unsprung
- Varnished fabric: Varnished fabric
- Rear carrier: Steel

WHEELS/TIRES

- Tires: CST C1263, 40-635
- Rims: Westwood, 28"
- Spokes: Stainless steel, extra strong
- Fender: Stainless steel

STEERING

- Handlebar: touring model, adjustable
- Stem: Gazelle Niro, non-adjustable
- Steer grip: Gazelle Retro Line/Aerowing
- Brake lever: Gazelle Ergo with softtouch for high braking comfort
- Bell: handlebar bell steel

TRANSMISSION/BRAKE

- Front hub: Shimano hub dynamo (3W)
- Rear hub: Shimano Nexus, 3 speeds, hub brake
- Shifter: Shimano Nexus 3
- Brake system back: coaster brake; Shimano Nexus AS-G3C

- Brake system front: drum brake; Shimano BR-C3000F
- Crank: Steel - Chrome
- Transmission: 44 x 19 teeth

SADDLE

- Seatpost: Fixed
- Saddle: Selle Royal 6261

LIGHTING

- Lights front: Spanninga Swingo, LED headlamp, 20 lux, on/automatic switching via headlamp
- Light powered by: hub dynamo
- Light back: Spanninga SPXds, LED dynamo, on/off switching via lamp

OTHER

- Lock type: AXA Solid Plus, ART ** certified
- Kickstand: side stand, Massload GA-KA63
- Chain: Z410RB 1/2X1/8

ITEM NUMBERS

NO.	DESCRIPTION				
A5544	Low-step	51 R3T	28"	600	desert titanium grey mat
A5545	Low-step	57 R3T	28"	600	desert titanium grey mat
A5546	Low-step	51 R3T	28"	653	jeans blue mat
A5547	Low-step	57 R3T	28"	653	jeans blue mat
A5580	Low-step	51 R3T	28"	276	panther black
A5581	Low-step	57 R3T	28"	276	panther black
A5582	High-step	57 R3T	28"	276	panther black
A5583	High-step	61 R3T	28"	276	panther black
A5584	Low-step	51 R3T	28"	276	panther black mat
A5585	Low-step	57 R3T	28"	276	panther black mat
A7551	Low-step	51 R3T	28"	691	pale green
A7553	Low-step	57 R3T	28"	691	pale green
G1378	Low-step	51 R3T	28"	819	powder rose mat
G1379	Low-step	57 R3T	28"	819	powder rose mat



BLOOM C7



iced blue mat



black mat

Gazelle

Mothers who like to carry one or two children on their bikes don't have to compromise with Gazelle. Mother and child's comfort and safety were at the forefront as from the first sketches of the Bloom C7. It starts with a spacious low step-through. Plenty of space for a handlebar and/or rear-mounted child seat. A safe suspension seat post for that extra bit of comfort.

- No bother fastening little ones into their seats thanks to twin-leg kick stand and steering lock
- Handlebar and rear carrier designed for child seats
- Effortless pedalling, even fully laden
- Choice of two fashionable styling options

DESCRIPTION 7-speed Shimano Nexus gears with roller brakes **KG** 22,6 **LBS** 49.8 **COLOUR** black mat or iced blue mat **LOW-STEP** 49|53|57|61 cm/19.3|20.9|22.4|24 inch

Would you like more information about this bike? Check out www.gazellebikes.com



BLOOM C7

Specifications

FRAME/FRONT FORK

- Frame: Oversized aluminium frame for extra stability. 68° headset and saddle tube angle with super-low and roomy step-through and very comfortable posture. Extra space between saddle and handlebars for child seat.
- Integrated cables: Yes
- Fork: aluminium, unsprung, lightweight
- Chain case: Plastic
- Rear carrier: Gazelle Bloom extended carrier, steel

WHEELS/TIRES

- Tires: Schwalbe Road Cruiser, 47-622
- Rims: Mach1 ER-10, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium look, extra spacious for child seat
- Stem: Gazelle Shuttle, with toolbox, steplessly adjustable
- Steer grip: Gazelle Aerowing
- Brake lever: Gazelle Ergo with softtouch for high braking comfort
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Shimano hub dynamo (2,4W)
- Rear hub: Shimano Nexus, 7 speeds, freewheel
- Shifter: Shimano Nexus 7
- Brake system back: roller brake; Shimano BR-IM31
- Brake system front: roller brake; Shimano BR-C3000F
- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Sprung
- Saddle: Selle Royal Herz

LIGHTING

- Lights front: Busch & Müller Upp, LED headlamp, 30 lux, on/off switching via headlamp
- Light powered by: hub dynamo
- Light back: Spanninga Solo, LED battery, on/off switching via lamp

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: centered double stand, MassLoad CL KA85
- Chain: Z510

ITEM NUMBERS

NO.	DESCRIPTION				
A0071	Low-step	49 T7	28"	824	iced blue mat
A0072	Low-step	53 T7	28"	824	iced blue mat
A0073	Low-step	57 T7	28"	824	iced blue mat
A0074	Low-step	61 T7	28"	824	iced blue mat
A7647	Low-step	49 T7	28"	001	black mat
A7648	Low-step	53 T7	28"	001	black mat
A7649	Low-step	57 T7	28"	001	black mat
A7650	Low-step	61 T7	28"	001	black mat



CABBY C7



black glossy

Gazelle

With this safe family bike, Gazelle proves that a modern cargo bike and elegant design go hand in hand. Because of the low centre of gravity and the clever position of the handlebar, saddle and pedals, you hardly notice that you are on the road with a cargo bike.

And with a full box or some headwind you can simply drop down to one of the lower gears.

- Immediately feels like the Gazelle among cargo bikes
- What can be more fun than the kids side by side, safely strapped in
- Effortless parking thanks to twin-leg stand and folding box
- Available in any colour as long as it's black

DESCRIPTION 7-speed Shimano Nexus gears with roller brakes and hub dynamo **KG** 38,4 **LBS** 84.6 **COLOUR** black **LOW-STEP** 49 cm/19.3 inch

** Maxi-Cosi is a registered trademark of Dorel Industries Inc.*



Would you like more information about this bike? Check out www.gazellebikes.com



CABBY C7

Specifications

FRAME/FRONT FORK

- Frame: Robust steel frame construction with a saddle tube angle of 68°.
- Integrated cables: Yes
- Fork: steel, unsprung
- Chain case: Plastic
- Rear carrier: Steel

WHEELS/TIRES

- Tires: Schwalbe Road Cruiser 47-406 & Schwalbe Road Cruiser 47-559
- Rims: Ryde X-plorer, 20" & Ryde Sputnik 26"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium look, comfort curved model
- Stem: Gazelle Shuttle, with toolbox, steplessly adjustable
- Steer grip: Gazelle Aerowing
- Brake lever: Gazelle Ergo with softtouch for high braking comfort
- Bell: Gazelle rotary bell

TRANSMISSION/BRAKE

- Front hub: Shimano hub dynamo (2,4W)
- Rear hub: Shimano Nexus, 7 speeds, freewheel
- Shifter: Shimano Nexus 7
- Brake system back: roller brake; Shimano BR-C6000R
- Brake system front: roller brake; Shimano BR-C6000F
- Crank: Aluminum
- Transmission: 38 x 18 teeth

SADDLE

- Seatpost: Fixed
- Saddle: Selle Royal Herz

LIGHTING

- Lights front: Axa Compactline 35, LED headlamp, 35 lux, on/off switching via headlamp
- Light powered by: hub dynamo
- Light back: Spanninga Solo, LED battery, on/off switching via lamp

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: centered double stand, Gazelle double stand stainless steel
- Chain: Z510

ITEM NUMBERS

NO.	DESCRIPTION			
A0225	Low-step	49 T7	28"	001 black





MARCO POLO TRAVEL



dust light mat



dust light mat

Enjoy and cycle without limits. Adventure calls: you will want to discover the most beautiful spots, at one with your bike and the scenery. Depending on nothing and no-one, since you have everything with you. The very best material is a job half done. Light and strong, tried and tested, high-end and meticulously assembled are at the top of your wish list. Then it all points to a hand-made Gazelle Marco Polo Travel.

- No mountain will be too high with 30-speed gears
- You can take everything with you on the sophisticated front and rear carriers
- Shifting and braking effortlessly and with the utmost precision
- An eye for detail, subtle print on mudguards

DESCRIPTION 30-speed Shimano XT gears with Magura hydraulic brakes and Shimano hub dynamo **KG** 17,4
LBS 38.3 **COLOUR** dust light mat **HIGH-STEP** 53|57|61 cm/20.9|22.4|24 inch **COLOUR** dust light mat **MID-STEP**
49|53|57 cm/19.3|20.9|22.4 inch



Would you like more information about this bike? Check out www.gazellebikes.com

MARCO POLO TRAVEL

Specifications

FRAME/FRONT FORK

- Frame: Alu 7005-T6 double-buttet, handmade & hand-polished welds. Frame with 70,5° headset angle and 71° saddle tube
- Integrated cables: Yes
- Fork: aluminium, unsprung, lightweight
- Chain case: none
- Rear carrier: Tubus Logo Classic

WHEELS/TIRES

- Tires: Schwalbe Marathon Mondial, 47-622
- Rims: Ryde Sputnik, 28"
- Spokes: Stainless steel, extra strong
- Fender: Curana C-Lite, aluminium

STEERING

- Handlebar: aluminium, straight
- Stem: With toolbox, steplessly adjustable
- Steer grip: Ergon GP3-L, ergonomic
- Brake lever: Magura HS22
- Bell: handlebar bell Decibel XXL

TRANSMISSION/BRAKE

- Front hub: Shimano sport hub dynamo
- Rear hub: Shimano XT
- Shifter: Shimano XT 10
- Brake system back: rim brake with hydraulic control; Magura HS22
- Brake system front: rim brake with hydraulic control; Magura HS22
- Crank: Shimano XT
- Transmission: 48-36-26 teeth

SADDLE

- Seatpost: Fixed
- Saddle: Fizik Rondine

LIGHTING

- Lights front: Trelock Veo 50, LED headlamp, 50 lux, on/off switching via headlamp
- Light powered by: hub dynamo
- Light back: Axa Blue Line 50 steady, LED dynamo, on/off switching via lamp

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: side stand, Pletcher Comp
- Chain: KMC X10 ELZilver 117SCH.

ITEM NUMBERS

NO.	DESCRIPTION			
G0493	High-step	53 H30	28"	851 dust light mat
G0494	High-step	57 H30	28"	851 dust light mat
G0495	High-step	61 H30	28"	851 dust light mat
G0498	Mid-step	49 H30	28"	851 dust light mat
G0499	Mid-step	53 H30	28"	851 dust light mat
G0500	Mid-step	57 H30	28"	851 dust light mat



MARCO POLO TOUR



hot coffee mat



hot coffee mat

The Marco Polo concept by Gazelle will appeal to you. In particular because it is built by hand, with a great deal of eye for detail. You may not have any plans to do a round the world trip by bike but you won't take much persuading to go on a long touring trip. You will want to be able to get a move on in commuter traffic too. You don't need a front carrier, but you can certainly appreciate the durable shifting mechanism and the high-end brakes.

- Rigid aluminium frame for optimum steering precision
- Deraillleur and open chain enable sporty performance
- Hub dynamo and integrated cables can take the occasional knock
- Excellent value for money

DESCRIPTION 30-speed Shimano Deore gears with Magura hydraulic brakes and Shimano hub dynamo **KG** 16,8 **LBS** 37 **COLOUR** hot coffee mat **HIGH-STEP** 53|57|61 cm/20.9|22.4|24 inch **COLOUR** hot coffee mat **MID-STEP** 49|53|57 cm/19.3|20.9|22.4 inch



Would you like more information about this bike? Check out www.gazellebikes.com

MARCO POLO TOUR

Specifications

FRAME/FRONT FORK

- Frame: Alu 7005-T6 double-buttet, handmade & hand-polished welds. Frame with 70,5° headset angle and 71° saddle tube
- Integrated cables: Yes
- Fork: aluminium, unsprung, lightweight
- Rear carrier: Tubus Logo Classic

WHEELS/TIRES

- Tires: Schwalbe Marathon Mondial, 47-622
- Rims: Ryde Sputnik, 28"
- Spokes: Stainless steel, extra strong
- Fender: Curana C-Lite, aluminium

STEERING

- Handlebar: aluminium, straight
- Stem: With toolbox, steplessly adjustable
- Steer grip: Ergon GP1-L, ergonomic
- Brake lever: Magura HS22
- Bell: handlebar bell Decibel XXL

TRANSMISSION/BRAKE

- Front hub: Shimano hub dynamo (3W)
- Shifter: Shimano Deore 10
- Brake system back: rim brake with hydraulic control; Magura HS22
- Brake system front: rim brake with hydraulic control; Magura HS22
- Crank: Shimano Deore

SADDLE

- Seatpost: Fixed
- Saddle: Fizik Rondine

LIGHTING

- Lights front: Trelock Veo 50, LED headlamp, 50 lux, on/off switching via headlamp
- Light powered by: hub dynamo
- Light back: Axa Blue Line 50 steady, LED dynamo, on/off switching via lamp

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: drop-down rear stand, Pletcher Comp
- Chain: KMC X10 ELZilver 117SCH.

ITEM NUMBERS

NO.	DESCRIPTION			
G1273	High-step 53 H30	28"	801	hot coffee mat
G1274	High-step 57 H30	28"	801	hot coffee mat
G1275	High-step 61 H30	28"	801	hot coffee mat
G1279	Mid-step 49 H30	28"	801	hot coffee mat
G1280	Mid-step 53 H30	28"	801	hot coffee mat
G1281	Mid-step 57 H30	28"	801	hot coffee mat



MARCO POLO URBAN



brewster grey mat



brewster grey mat

The Marco Polo Urban is ideal for use in town and the surrounding area.

It does of course retain the characteristic features of the Marco Polo family, such as an adventurous look and perfection down to the last detail. The focus here is on ease of use, light weight and far-reaching freedom from maintenance. It has everything needed for carefree cycling pleasure.

- Lightweight: easy to carry in public transport and to lift onto high racks
- High quality double butted frame, handmade and hand-polished welds
- Robust thanks to hub dynamo and integrated cables.
- Durable and maintenance-free: Alfine 8-speed hub gear with belt drive

DESCRIPTION 8-speed Shimano Alfine gears with Shimano BR-MT200 hydraulic disc brakes **KG** 16,2 **LBS** 35.7
COLOUR brewster grey mat **LOW-STEP** 49|53|57 cm/19.3|20.9|22.4 inch **COLOUR** brewster grey mat **HIGH-STEP** 53|57|61 cm/20.9|22.4|24 inch



Would you like more information about this bike? Check out www.gazellebikes.com

MARCO POLO URBAN

Specifications

FRAME/FRONT FORK

- Frame: Alu 7005-T6 double-buttet, handmade & hand-polished welds. Frame with 70,5° headset angle and 71° saddle tube
- Integrated cables: Yes
- Fork: aluminium, unsprung, lightweight
- Chain guard: Aluminum
- Rear carrier: Racktime with snap it system, aluminum

WHEELS/TIRES

- Tires: Schwalbe Spicer, 35-622
- Rims: Ryde Dutch19, 28"
- Spokes: Stainless steel, extra strong
- Fender: Curana C-Lite, aluminium

STEERING

- Handlebar: aluminium, straight
- Stem: With toolbox, steplessly adjustable
- Steer grip: Ergon GP1-L, ergonomic
- Brake lever: Shimano BR-MT200
- Bell: Gazelle Compact bell

TRANSMISSION/BRAKE

- Front hub: Shimano hub dynamo (3W)
- Rear hub: Shimano Alfine, 8 speeds, freewheel
- Shifter: Shimano Alfine 8
- Brake system back: disc brake with hydraulic control; Shimano BL-MT200
- Brake system front: disc brake with hydraulic control; Shimano BL-MT200
- Crank: Gates CDN
- Transmission: 50 x 24 teeth

SADDLE

- Seatpost: Fixed
- Saddle: Fizik Rondine

LIGHTING

- Lights front: Trelock Veo 50, LED headlamp, 50 lux, on/off switching via headlamp
- Light powered by: hub dynamo
- Light back: Busch & Müller, integrated into carrier, LED battery, on/off switching via lamp

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: side stand, Massload GA-KA63
- Chain: Gates CDX belt drive, with Centertrack

ITEM NUMBERS

NO.	DESCRIPTION				
G0517	Low-step	49 S8	28"	874	brewster grey mat
G0518	Low-step	53 S8	28"	874	brewster grey mat
G0519	Low-step	57 S8	28"	874	brewster grey mat
G0524	High-step	53 S8	28"	874	brewster grey mat
G0525	High-step	57 S8	28"	874	brewster grey mat
G0526	High-step	61 S8	28"	874	brewster grey mat

CHAMONIX T30



desert titanium grey mat



desert titanium grey mat

Gazelle

High performance and comfort go very well together in Gazelle's Chamonix trekking model. The Chamonix T30 achieves this with its refined front suspension in the head tube. With 30-speed gears, no hill is too high. What's more, nothing is more important than maximum braking performance. A stable lightweight frame is the basis for this.

- Shift to the right gear effortlessly and precisely
- Massive hydraulic braking power can be applied progressively
- Ergonomically-shaped handlebar grips for miles of cycling pleasure
- It also boasts a low step-through and a very sporty look

DESCRIPTION 30-speed Shimano Deore gears with Magura HS11 hydraulic brakes **KG** 16,8 **LBS** 37 **COLOUR** desert titanium grey mat **LOW-STEP** 49|53|57|61 cm/19.3|20.9|22.4|24 inch **COLOUR** desert titanium grey mat **HIGH-STEP** 57|61|65 cm/22.4|24|25.6 inch



Would you like more information about this bike? Check out www.gazellebikes.com



CHAMONIX T30

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight oversized aluminium frame with 70.5° headset angle and 71.5° saddle tube angle gives positive steering control and sporty riding characteristics. Ladies' frame with low step-through, extra stable construction and sporty look.
- Integrated cables: Yes
- Fork: aluminium, springing in headset, lightweight
- Chain guard: Plastic
- Rear carrier: Aluminium

WHEELS/TIRES

- Tires: Schwalbe Citizen, 37-622
- Rims: Ryde Eco 19, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium, Hybrid bend
- Stem: Gazelle Switch, manually steplessly adjustable
- Steer grip: Ergon GC10
- Bell: handlebar bell Decibel XXL

TRANSMISSION/BRAKE

- Gear system: 30-speed Shimano Deore
- Front hub: Shimano hub dynamo (3W)
- Derailler front: Shimano Deore
- Derailler rear: Shimano Deore
- Shifter: Shimano Deore 10
- Brake system back: rim brake with hydraulic control; Magura HS11

- Brake system front: rim brake with hydraulic control; Magura HS11
- Crank: Shimano Deore
- Transmission: 42-32-24 teeth

SADDLE

- Seatpost: Fixed
- Saddle: Selle Royal Freccia

LIGHTING

- Lights front: Axa Compactline 35, LED headlamp, 35 lux, on/off switching via headlamp
- Light powered by: hub dynamo
- Light back: Spanninga Solo

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: side stand, Gazelle Kinetic, steplessly adjustable
- Chain: KMC X10L SILVER 11SCH.

ITEM NUMBERS

NO.	DESCRIPTION				
G0480	Low-step	49 H30	28"	600	desert titanium grey mat
G0481	Low-step	53 H30	28"	600	desert titanium grey mat
G0482	Low-step	57 H30	28"	600	desert titanium grey mat
G0483	Low-step	61 H30	28"	600	desert titanium grey mat
G0488	High-step	57 H30	28"	600	desert titanium grey mat
G0489	High-step	61 H30	28"	600	desert titanium grey mat
G0490	High-step	65 H30	28"	600	desert titanium grey mat



CHAMONIX T27



black mat

Gazelle



black mat

Gazelle takes trekking to a higher level with the Chamonix T27. Refined suspension integrated into the head tube keep you in good shape on longer touring trips. And with 27-speed gears you can cope with anything. And whether you choose the ladies' or the men's model: with an adjustable saddle, handlebars and handlebar grips, you can adjust this Chamonix exactly to your favourite cycling posture.

- Rigid lightweight frame for precise steering characteristics
- Tried and tested Shimano gear combination
- Handlebars are manually adjustable on the go
- Hub dynamo and integrated cables can take the occasional knock

DESCRIPTION 27-speed Shimano Deore/Altus gears with V-brakes **KG** 16,5 **LBS** 36.3 **COLOUR** black mat **LOW-STEP** 49|53|57|61 cm/19.3|20.9|22.4|24 inch **COLOUR** black mat **HIGH-STEP** 53|57|61|65 cm/20.9|22.4|24|25.6 inch



Would you like more information about this bike? Check out www.gazellebikes.com



CHAMONIX T27

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight oversized aluminium frame with 70.5° headset angle and 71.5° saddle tube angle gives positive steering control and sporty riding characteristics. Ladies' frame with low step-through, extra stable construction and sporty look.
- Integrated cables: Yes
- Fork: aluminium, springing in headset, lightweight
- Chain guard: Plastic
- Rear carrier: Aluminum

WHEELS/TIRES

- Tires: Schwalbe Citizen, 37-622
- Rims: Ryde Eco 19, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium, trekking comfort curved model
- Stem: Gazelle Switch SL, manually steplessly adjustable
- Steer grip: Ergon GC10
- Brake lever: Gazelle Ergo with softtouch for high braking comfort
- Bell: Gazelle Compact bell

TRANSMISSION/BRAKE

- Gear system: 27 Shimano Deore/Acera
- Front hub: Shimano hub dynamo (3W)
- Derailler front: Shimano Acera
- Derailler rear: Shimano Deore
- Shifter: Shimano Deore 9

- Brake system back: v-brake; Shimano BR-T4000
- Brake system front: v-brake; Shimano BR-T4000
- Transmission: 42-32-22 teeth

SADDLE

- Seatpost: Fixed
- Saddle: Selle Royal Freccia

LIGHTING

- Lights front: Axa Compactline 35, LED headlamp, 35 lux, on/off switching via headlamp
- Light powered by: hub dynamo
- Light back: Spanninga Solo, LED battery, on/off switching via lamp

OTHER

- Lock type: AXA Defender, ART ** certified
- Kickstand: side stand, Massload CL-KA63, adjustable
- Chain: X9-93 SILVER/GRAY 112 LEFT+CL566R

ITEM NUMBERS

NO.	DESCRIPTION
G0467	Low-step 49 V27 28" 001 black mat
G0468	Low-step 53 V27 28" 001 black mat
G0469	Low-step 57 V27 28" 001 black mat
G0470	Low-step 61 V27 28" 001 black mat
G0474	High-step 53 V27 28" 001 black mat
G0475	High-step 57 V27 28" 001 black mat
G0476	High-step 61 V27 28" 001 black mat
G0477	High-step 65 V27 28" 001 black mat

VENTO T27



black mat



black mat

Gazelle

The Vento T27 is at home in town as well as the countryside, a true all-rounder. A beautifully designed frame with a resilient suspension front fork, as well as a Shimano shifting mechanism and powerful V-brakes. Everything chosen and fitted to Gazelle's high quality standards while focusing on value for money: you will be ready for any adventure.

- Sporty suspension front fork by Suntour absorbs irregularities in the road surface
- Low self-weight for high performance
- Fully-featured bike, including Shimano Alivio 27-speed gears
- Men's frame or low-step: they are all available

DESCRIPTION 27-speed Shimano Alivio/Acera gears with V-brakes **KG** 15,9 **LBS** 35 **COLOUR** black mat **LOW-STEP** 49|53|57 cm/19.3|20.9|22.4 inch **COLOUR** black mat **HIGH-STEP** 53|57|61 cm/20.9|22.4|24 inch



Would you like more information about this bike? Check out www.gazellebikes.com



VENTO T27

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight aluminium frame, with sporty geometry and internal cable routing
- Integrated cables: Yes
- Fork: aluminium, telescopic sprung
- Chain guard: Plastic
- Rear carrier: Aluminum

WHEELS/TIRES

- Tires: Schwalbe Spicer, 35-622
- Rims: Rodi Connect, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium look, comfort curved model
- Stem: Steplessly adjustable with toolbox
- Steer grip: Herrmans DD28
- Brake lever: Shimano ABL-R550
- Bell: Gazelle Compact bell

TRANSMISSION/BRAKE

- Gear system: 27 Shimano Alivio / Acera
- Front hub: Shimano
- Rear hub: Shimano FH-TX5008 QR, 9 speeds, freewheel
- Derailleur front: Shimano Alivio
- Derailleur rear: Shimano Alivio
- Sprocket: SA CSM90, 11-32
- Shifter: Shimano Acera 9
- Brake system back: v-brake; Shimano BR-T4000
- Brake system front: v-brake; Shimano BR-T4000
- Crank: Shimano FC-M361
- Transmission: 42-32-22 teeth

SADDLE

- Seatpost: Fixed
- Saddle: Focus Comfort

LIGHTING

- Lights front: Trelock LS360, LED headlamp, 15 lux, on/off switching via headlamp, rechargeable via USB
- Light powered by: battery
- Light back: AXA Riff, LED battery, on/off switching via lamp

OTHER

- Lock type: AXA Solid Plus, ART ** certified
- Kickstand: side stand, Massload CL-KA63, adjustable
- Chain: X9-93 SILVER/GRAY 112 LEFT+CL566R

ITEM NUMBERS

NO.	DESCRIPTION
A4963	Low-step 49 V27 28" 001 black mat
A4964	Low-step 53 V27 28" 001 black mat
A4965	Low-step 57 V27 28" 001 black mat
A4975	High-step 53 V27 28" 001 black mat
A4976	High-step 57 V27 28" 001 black mat
A4977	High-step 61 V27 28" 001 black mat



VENTO T24



meteor grey mat



meteor grey mat

Gazelle

The Vento T24 is a trekking bike that can take you anywhere. With its lightweight designer frame with concealed cables, it is agile and well able to cope with heavy urban traffic. And with 2 derailleurs and 24 speeds, you will be able to switch effortlessly between a trip down town and long touring trip. Everything with an eye for detail and within budget: as much as you need.

- Comfortable cycling with telescopic front suspension
- You can take everything with you on the sturdy aluminium rear carrier
- Proven Shimano shifting mechanism
- Recognisable Gazelle design with high-end appearance

DESCRIPTION 24-speed Shimano Acera/Altus gears with V-brakes **KG** 17,4 **LBS** 38.3 **COLOUR** meteor grey mat
LOW-STEP 49|53|57 cm/19.3|20.9|22.4 inch **COLOUR** meteor grey mat **HIGH-STEP** 53|57|61 cm/20.9|22.4|24 inch



Would you like more information about this bike? Check out www.gazellebikes.com



VENTO T24

Specifications

FRAME/FRONT FORK

- Frame: Stable, lightweight aluminium frame, with sporty geometry and internal cable routing
- Integrated cables: Yes
- Fork: aluminium, telescopic sprung
- Chain guard: Plastic
- Rear carrier: Aluminum

WHEELS/TIRES

- Tires: Continental CityRide, 37-622
- Rims: Rodi Connect, 28"
- Spokes: Stainless steel, extra strong
- Fender: plastic

STEERING

- Handlebar: aluminium look, comfort curved model
- Stem: Steplessly adjustable with toolbox
- Steer grip: Herrmans DD28
- Brake lever: Shimano ST-EF65
- Bell: Gazelle Compact bell

TRANSMISSION/BRAKE

- Gear system: 24 Shimano Acera / Altus
- Front hub: Shimano
- Rear hub: Shimano FH-TX50089 QR, 8/9 speeds, freewheel
- Deraillleur front: Shimano Altus
- Deraillleur rear: Shimano Acera
- Sprocket: SA CSM55, 11-32
- Shifter: Shimano ST-EF-65
- Brake system back: v-brake; Shimano BR-T4000
- Brake system front: v-brake; Shimano BR-T4000
- Crank: Shimano FC-M171
- Transmission: 42-32-22 teeth

SADDLE

- Seatpost: Fixed
- Saddle: Focus Comfort

LIGHTING

- Lights front: Trelock LS360, LED headlamp, 15 lux, on/off switching via headlamp, rechargeable via USB
- Light powered by: battery
- Light back: AXA Riff, LED battery, on/off switching via lamp

OTHER

- Lock type: AXA Solid Plus, ART ** certified
- Kickstand: side stand, Massload CL-KA36, adjustable
- Chain: Z82 110SCH

ITEM NUMBERS

NO.	DESCRIPTION			
A6907	Low-step	49 V24	28"	635 meteor grey mat
A6908	Low-step	53 V24	28"	635 meteor grey mat
A6909	Low-step	57 V24	28"	635 meteor grey mat
A6913	High-step	53 V24	28"	635 meteor grey mat
A6914	High-step	57 V24	28"	635 meteor grey mat
A6915	High-step	61 V24	28"	635 meteor grey mat

